



2017 INTERNATIONAL REFERENCE GUIDE



TABLE OF CONTENTS

Ruger American Pistol®	3-5
SR1911® Centerfire Pistol	7-8
LC9s® Centerfire Pistol	9-10
LC380® Centerfire Pistol	11-12
LCP® Centerfire Pistol	13-14
SR-Series of Centerfire Pistols	15-18
SR22® Rimfire Pistol	19-20
Mark IV™ Rimfire Pistol	21-23
Mark IV™ 22/45™ Lite Rimfire Pistol	25-26
LCR® Double-Action Revolver	27-29
Ruger SP101® Double-Action Revolver	31-34
GP100® Double-Action Revolver	35-38
Redhawk® Double-Action Revolver	39-42
Super Redhawk® Double-Action Revolver	43-45
Ruger Vaquero® Single-Action Revolver	47-50
New Model Super Blackhawk® Single-Action Revolver	51-54
New Model Blackhawk® Single-Action Revolver	55-58
New Model Single-Six® Family of Single-Action Revolvers	59-62
New Bearcat® Single-Action Revolver	63-64

22 Charger™ Rimfire Pistol	65-66
10/22® Autoloading Rifle	67-70
10/22 Takedown® Autoloading Rifle	71-73
SR-22® Autoloading Rifle	75-76
AR-556® Autoloading Rifle	77-78
SR-556® Takedown Rifle	79-80
SR-762™ Autoloading Rifle	81-82
Mini-14® and Mini Thirty® Autoloading Rifles	83-86
Ruger Precision Rifle® Bolt-Action Rifle	87-88
Ruger American Rifle® Bolt-Action Rifle	89-96
Ruger American Rimfire® Bolt-Action Rifle	97-100
Gunsite Scout Rifle Bolt-Action Rifle	101-102
Guide Gun Bolt-Action Rifle	103-104
Hawkeye® African Bolt-Action Rifle	105-106
Hawkeye® Bolt-Action Rifle	107-112
Magazines	113-114
Contact Information	116
Legal Information	117



NEW PRODUCT QUICK REFERENCE

Ruger American Pistol® with Manual Safety	5
Ruger American Pistol® Compact	5
SR1911® Target	7
SR1911® Lightweight Commander-Style in 9mm Luger	7
LC9s® with HIVIZ Lightwave® Fiber Optic Sights	9
LCP® with Viridian® E-Series™ Red Laser	13
LCP® II	13
Mark IV™ Target	23
Mark IV™ Hunter	23
Mark IV™ 22/45™ Lite	25
GP100® in .44 Special	37
Redhawk® in .357 Magnum	42
10/22 Takedown® Lite	73
AR-Lower Receiver	77
Mini Thirty® Tactical Rifle with Matte Stainless Finish	86
Ruger Precision Rifle®	89
Ruger American Rifle® Predator in 6mm Creedmoor	95
Ruger American Rifle® Predator with Vortex® Crossfire II® Riflescope	95
Ruger American Rifle® Ranch in .450 Bushmaster	96
Ruger American Rimfire® Target	100
Hawkeye® FTW Hunter	112

LEFT-HANDED RIFLES

Ruger American Rifle® (Seventeen Models)	91-93
Gunsite Scout Rifle (Two Models)	101
Guide Gun (One Model)	103
Hawkeye® African (Two Models)	105
Hawkeye® FTW Hunter (Three Models)	112

LEARN MORE ABOUT RUGER® PRODUCTS ONLINE:

**RUGER.COM**

Find us on
Facebook
facebook.com/Ruger

You**Tube**
youtube.com/RugerFirearms

*Pinterest*
pinterest.com/RugerFirearms

Instagram
instagram.com/RugersOfficial

RUGER AMERICAN PISTOL®



Designed with the latest U.S. Military standards in mind, the **Ruger American Pistol®** is built to perform in the harshest conditions. A true American innovation, this new pistol is a revolutionary platform for Ruger – one that combines a recoil-reducing barrel cam (which is designed to better spread recoil energy over time) with a low-mass slide, low center of gravity and a low-bore axis to provide an unparalleled shooting experience.

FEATURES


- Pre-tensioned striker system features a powerful striker spring for positive ignition without a heavier trigger pull.
- Barrel cam reduces recoil spring tension and facilitates low-mass slide design.
- Safe, easy takedown with no tools or trigger pull required.
- Rigid, one-piece, precision-machined, black nitrided, stainless steel chassis with integral frame rails and fire control housing.
- Modular, wrap-around grip system allows adjustment of palm swell and trigger reach to fit a wide range of hand sizes. Ergonomic grip modules lock in solidly and do not loosen.

ENVIRONMENTAL PERFORMANCE:

Engineered to Withstand Arctic Temperatures, Desert Heat and Dust, Rainforest Humidity, Ocean Salt and Surf.



- Genuine Novak® LoMount Carry three-dot sights with wide, rear notch for rapid sight acquisition and alignment.
- Ambidextrous slide stop allows actuation with either hand.
- Ambidextrous magazine release facilitates one-hand or weak-hand shooting and training.
- Performance tested for sustained +P ammunition use.
- Black nitride finish on stainless steel slide and chassis is durable, non-reflective and corrosion resistant.
- MIL-STD-1913 Picatinny rail acts as a mounting point for a wide variety of standard lights, lasers and infra-red illuminators.
- Non-slip surfaces include functional slide serrations and purpose-oriented gripframe texturing for enhanced control.
- Additional safety features include internal, automatic sear block system, ambidextrous manual safety and integrated trigger safety. Pro models available without manual safety.
- Also includes: two nickel-Teflon® plated steel magazines; small (9mm Luger models only), medium and large grip modules.



Short Takeup Trigger with Positive Reset



Recoil-Reducing Barrel Cam, Low Mass Slide, Low Center of Gravity and Low Bore Axis



Safe, Easy Takedown with No Tools or Trigger Pull Required



Genuine Novak® LoMount Carry Three-Dot Sights



Modular, Wrap-Around Grip System for Adjusting Palm Swell and Trigger Reach



Ambidextrous Slide Stop, Manual Safety and Magazine Release Allow Actuation with Either Hand (Pro Models Come without External Safety)

RUGER AMERICAN PISTOL®

RUGER AMERICAN PISTOL® DUTY



Model 8615 Shown



Available with or without External Safety

Model Number	COMPARE		Slide/ Finish	Grip Frame	Sights	Safety Option	Barrel Length	Overall Length	Height	Width	Weight	Twist
	Caliber	Capacity										
8605 Pro	9mm Luger	17+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.20"	7.50"	5.60"	1.40"	30 oz.	1:10"
8607 Pro	9mm Luger	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.20"	7.50"	5.60"	1.40"	30 oz.	1:10"
NEW 8608	9mm Luger	17+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20"	7.50"	5.60"	1.50"	30.5 oz.	1:10"
NEW 8638	9mm Luger	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20"	7.50"	5.60"	1.50"	30.5 oz.	1:10"
NEW 8661**	9mm Luger	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20"	7.50"	5.60"	1.50"	30.5 oz.	1:10"
8615 Pro	45 Auto	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.50"	8"	5.70"	1.40"	31.5 oz.	1:16"
NEW 8618	45 Auto	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.50"	8"	5.70"	1.50"	32 oz.	1:16"
NEW 8680**	45 Auto	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.50"	8"	5.70"	1.50"	32 oz.	1:16"

RUGER AMERICAN PISTOL® COMPACT



Model 8648 Shown



Available with or without External Safety

Model Number	COMPARE		Slide/ Finish	Grip Frame	Sights	Safety Option	Barrel Length	Overall Length	Height	Width	Weight	Twist
	Caliber	Capacity										
NEW 8635 Pro	9mm Luger	17+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.55"	6.65"	4.48"	1.40"	28.7 oz.	1:10"
NEW 8637 Pro	9mm Luger	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.55"	6.65"	4.48"	1.40"	28.7 oz.	1:10"
NEW 8639	9mm Luger	17+1*	Stainless Steel/ Black Nitride	One-Piece, High- Performance, Glass- Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.55"	6.65"	4.48"	1.50"	29.2 oz.	1:10"
NEW 8633	9mm Luger	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.55"	6.65"	4.48"	1.50"	29.2 oz.	1:10"
NEW 8663**	9mm Luger	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.55"	6.65"	4.48"	1.50"	29.2 oz.	1:10"
NEW 8645 Pro	45 Auto	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.75"	7.25"	4.65"	1.40"	28.6 oz.	1:16"
NEW 8648	45 Auto	10+1*	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.75"	7.25"	4.65"	1.50"	29 oz.	1:16"

* Some magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines. ** Ships with large grip module installed.



RUGER.COM/AMERICANPISTOL



RUGER AMERICAN PISTOL®

TOTAL ECLIPSE HOLSTER



Manufactured by
Blade-Tech Industries
under license
from Sturm, Ruger
& Co., Inc.

The popular six-in-one Total Eclipse Holster manufactured by Blade-Tech Industries is the Officially Licensed Ruger® Product compatible with the Ruger American Pistol®. This holster comes from the factory in standard straight drop, but can easily be changed to IWB or FBI cant with the turn of a few screws. Complete your Ruger American Pistol® with the Blade-Tech® Total Eclipse Holster!



RUGER.COM/AMERICANPISTOL

© 2017 Sturm, Ruger & Co., Inc. 1010517

Find Ruger:



SR1911®



The **Ruger® SR1911®** is a classically styled pistol designed with all of the modern manufacturing advances that you have come to expect from Ruger.

SR1911®

Model Number	COMPARE										
	Caliber	Capacity	Slide/Finish	Grip Frame/Finish	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist
6700	45 Auto	8+1*	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Drift Adjustable Novak® 3-Dot	5"	8.67"	5.45"	1.34"	39 oz.	1:16"
6702	45 Auto	7+1**	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Drift Adjustable Novak® 3-Dot	4.25"	7.75"	5.45"	1.34"	36.4 oz.	1:16"
6711	45 Auto	7+1**	Stainless Steel/ Low-Glare Stainless	Aluminum/ Black Anodized	Drift Adjustable Novak® 3-Dot	4.25"	7.75"	5.45"	1.34"	29.3 oz.	1:16"
NEW 6736	45 Auto	8+1*	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Bomar-Style Adjustable	5"	8.67"	5.45"	1.34"	39 oz.	1:16"
NEW 6722	9mm Luger	9+1***	Stainless Steel/ Low-Glare Stainless	Aluminum/ Gray Anodized	Drift Adjustable Novak® 3-Dot	4.25"	7.75"	5.45"	1.34"	29.3 oz.	1:10"



FEATURES

- Classic, original 1911 Series 70 design.
- Precision CNC-controlled machining process results in a superior slide-to-frame fit and smooth slide travel.
- The stainless steel barrel and bushing are produced from the same bar stock, on the same machine, for improved accuracy.
- Positive barrel lock-up allows for superior accuracy out of the box.
- Oversized ejection port and extended magazine release enhance competition performance.
- Traditional design with checkered backstrap and hardwood, rubberized or G-10 textured grip panels.
- Lightweight, aluminum, skeletonized trigger features an adjustable overtravel stop and provides a very crisp, no creep, light trigger pull with a quick, positive reset.
- Skeletonized hammer is lightweight and provides faster cycling.
- Dovetailed, high-visibility three-dot sight system features Novak® LoMount Carry, drift adjustable rear and standard front sights that combine optimal target acquisition in an ideal carry configuration. Model 6736 features a Bomar-style, adjustable rear sight.
- Oversized beavertail grip safety provides positive function and reliability.
- Extended thumb safety and slide stop lever for improved, positive manipulation. Model 6736 features an ambidextrous extended thumb safety.
- Integral plunger tube for slide stop and thumb safety is not staked and will never come loose.
- Features a standard recoil guide system and flat mainspring housing.
- Visual inspection port allows for visual confirmation of a loaded or empty chamber.
- Rear slide serrations allow for positive grip.
- Accepts most standard, aftermarket 1911 parts and accessories.
- Model 6711 features a polished titanium feed ramp.
- Also includes: swaged link pin; titanium firing pin; two stainless steel magazines; bushing wrench.



Oversized Beavertail Grip Safety



Stainless Steel Barrel and Bushing



Available in a Variety of Grip Configurations



Novak® LoMount Carry, Drift Adjustable or Bomar-Style, Adjustable Rear Sight Available



Superior Slide-to-Frame Fit

* Ships with two magazines, one 7-round, one 8-round.
** Ships with two 7-round magazines.
*** Ships with two 9-round magazines.

† With empty magazine.

LC9s®



LC9s®
(Model 3235)



LC9s® with HIVIZ
Lightwave® Fiber Optic
Sights (Model 3270)

The striker-fired **Ruger® LC9s®** features a short, light, crisp trigger pull for faster shooting and improved accuracy. The LC9s® provides slim, lightweight, compact personal protection with a blued, alloy steel slide, a high-performance, glass-filled nylon grip frame, aggressive checkering and an easily acquired three-dot sight system. The LC9s® is just slightly larger (less than 1" taller and 1" longer) than the popular and incredibly compact LCP®.

LC9s®

Model Number	Caliber	Capacity	Slide/Finish	Grip Frame	COMPARE		Barrel Length	Overall Length	Height	Width	Weight	Twist
					Sights	Safety Option						
3235	9mm Luger	7+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	Manual Safety	3.12"	6"	4.50"	0.90"	17.2 oz.	1:10"
3248 Pro	9mm Luger	7+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	Integrated Trigger Safety Only	3.12"	6"	4.50"	0.90"	17.2 oz.	1:10"
NEW 3270	9mm Luger	7+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	HIVIZ Lightwave® Fiber Optic	Manual Safety	3.12"	6"	4.50"	0.90"	17.2 oz.	1:10"



Striker-Fired, Short, Light, Crisp Trigger Pull



Just Slightly Larger (Less than 1" Taller and 1" Longer) than the Popular and Incredibly Compact LCP®




Includes Finger Grip Extension Floorplate for Comfort and Grip



HIVIZ Lightwave® Fiber Optic Front and Rear Sights Gather More Light for Superior Visibility (Model 3270)

FEATURES

- Striker-fired featuring a short, light, crisp trigger pull for faster, more accurate shooting.
- Slim, lightweight and compact for personal protection. Just slightly larger (less than 1" taller and 1" longer) than the popular and incredibly compact LCP®.
- Rugged construction with blued, through-hardened alloy steel slide and black, one-piece, high-performance, glass-filled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Dovetailed, high-visibility sight system with drift adjustable rear sight and fixed front sight.
- Blued, alloy steel barrel.
- Safety features include integrated trigger safety, manual safety, magazine disconnect and a visual inspection port that allows for visual confirmation of a loaded or empty chamber. Pro model comes without manual safety and magazine disconnect.
- Also includes: one, 7-round magazine.



LC380®



LC380®
(Model 3219)

THE RUGER®
LC380®

The **Ruger® LC380®** is compact, powerful and perfect for personal protection. Chambered in .380 Auto, the LC380® combines reduced recoil with modern safety features in an easy-to-rack design.

LC380®

Model Number	Caliber	Capacity	Slide/Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
3219	380 Auto	7+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	3.12"	6"	4.50"	0.90"	17.2 oz.	1:16"

LC380ca™

Model Number	Caliber	Capacity	Slide/Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
3253 CA Approved	380 Auto	7+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	3.12"	6"	4.50"	0.90"	17.2 oz.	1:16"

FEATURES

- Same compact size as the popular LC9s® with the reduced recoil of the .380 Auto cartridge for a softer-shooting concealed carry pistol.
- Rugged construction with blued, through-hardened alloy steel slide and black, one-piece, high-performance, glass-filled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Dovetailed, high-visibility three-dot sight system with drift adjustable rear sight and fixed front sight.
- Blued, alloy steel barrel.
- Safety features include internal lock, manual safety, magazine disconnect and patented loaded chamber indicator that allows for visual confirmation of a loaded or empty chamber.
- Also includes: one, 7-round magazine.



LC9® Conversion
Kit for LC380®

Converts the LC380® (.380 Auto) to Accept 9mm Luger. Comes with 9mm Luger Barrel, Slide Assembly and Magazine.



ITEM NUMBER: 90499



Dovetailed, High-Visibility Three-Dot Sight System



Patented Loaded Chamber Indicator



Includes Finger Grip Extension Floorplate for Comfort and Grip



Black, One-Piece, High-Performance, Glass-Filled Nylon Grip Frame

LCP®



LCP®
(Model 3701)

LCP® II
(Model 3750)



The **Ruger® LCP®** is a compact .380 Auto pistol designed with the shooter in mind and is as affordable as it is comfortable. From use as a law enforcement backup firearm to licensed carry for personal protection, the LCP® is the perfect choice.

LCP®

	Model Number	Caliber	Capacity	Slide/Finish	Grip Frame	COMPARE						Twist
						Sights	Barrel Length	Overall Length	Height	Width	Weight	
	3701	380 Auto	6+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Integral	2.75"	5.16"	3.60"	0.82"	9.6 oz.	1:16"
NEW	3752	380 Auto	6+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Integral/Viridian® E-Series™ Red Laser	2.75"	5.16"	3.60"	0.82"	10.4 oz.	1:16"

LCP® II

	Model Number	Caliber	Capacity	Slide/Finish	Grip Frame	COMPARE						Twist
						Sights	Barrel Length	Overall Length	Height	Width	Weight	
NEW	3750	380 Auto	6+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Integral	2.75"	5.17"	3.71"	0.91"	10.6 oz.	1:16"
NEW	3758	380 Auto	6+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Integral/Viridian® E-Series™ Red Laser	2.75"	5.17"	3.71"	0.91"	11.4 oz.	1:16"

FEATURES

- Compact and lightweight, the LCP® is designed to fit a variety of holsters and concealed carry options.
- Rugged construction with through-hardened steel slide and black, one-piece, high-performance, glass-filled nylon grip frame.
- Textured grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Fixed front and rear sights are integral to the slide, while the hammer is recessed within the slide.
- Safety features include bladed trigger safety; neutrally balanced sear with significant engagement and strong spring tension; and hammer catch to help prevent the hammer from contacting the firing pin unless the trigger is pulled.

- Blued, alloy steel barrel.
- Also includes: one, 6-round magazine.



LCP® II Features

Improved Sights for Superior Visibility

Best-In-Class Short, Crisp Trigger Pull with Single-Action Feel

Larger Grip Surface for Better Distribution of Recoil Forces

Easy-to-Rack Slide with Last Round Hold-Open



Compact and Lightweight for Concealed Carry (Model 3750 Shown)



Includes Finger Grip Extension Floorplate for Comfort and Grip



Black, One-Piece, High-Performance, Glass-Filled Nylon Grip Frame



Chambered in Reliable and Effective .380 Auto



Integral Sights and Viridian® E-Series™ Red Laser (Models 3752 and 3758)

SR-SERIES



SR45™
(Model 3801)

SR40®
(Model 3470)

SR9c®
(Model 3314)

The **Ruger® SR-Series** pistols are perfectly sized to be comfortable and controllable with slim, ergonomic grips and narrow slides. A short reach from the backstrap to the trigger creates a comfort level that will challenge any standard-sized, striker-fired pistol available today. Their structurally rigid, recoil-reducing, glass-filled nylon frames and alloy or stainless steel slides combine to create low-maintenance, rugged and reliable handguns.

FEATURES

- Unique reversible backstrap (flat or arched) allows shooters to quickly customize the size and feel of the grip, without the use of separate inserts or special tools.
- Integral accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- Black, high-performance, glass-filled nylon grip frame.
- Dovetailed, high-visibility three-dot sight system features a raked-forward front sight for easy removal from the holster and an adjustable rear sight. 9E® models feature a drift adjustable rear sight.
- Manual safety and D-shaped magazine release are easy to reach and actuate and appeal to both left- and right-handed shooters.



Full Line of Calibers Available



9mm Luger

40 S&W

45 Auto



Dovetailed, High-Visibility Three-Dot Sight System



Integral Accessory Mounting Rail



Unique Reversible Backstrap is Adjustable for a Flat or Arched Fit



Ambidextrous Manual Safety and D-Shaped Magazine Release

SR-SERIES

SR45™



Model 3801 Shown



Large Caliber Pistol with a Trim, Ergonomic Profile



Ships with Two Flush-Fit Magazines

Model Number	Caliber	Capacity	COMPARE		Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
			Slide/Finish									
3801	45 Auto	10+1	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.50"	8"	5.75"	1.27"	30.1 oz.	1:16"
3800	45 Auto	10+1	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.50"	8"	5.75"	1.27"	30.1 oz.	1:16"

SR40®



Model 3470 Shown



Ships with Two Flush-Fit Magazines

Model Number	Caliber	Capacity	COMPARE		Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight*	Twist
			Slide/Finish									
3470	40 S&W	15+1	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	27.2 oz.	1:16"
3471	40 S&W	15+1	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	27.2 oz.	1:16"
3472	40 S&W	10+1	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	27.2 oz.	1:16"
3473	40 S&W	10+1	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	27.2 oz.	1:16"

SR40c®



Model 3477 Shown



Accepts Most Full-Size SR40® Accessories and All Full-Size SR40® Standard Magazines



Additional Slide Serrations Provide a Sure Grip



Ships with a Finger Grip Extension Floorplate, One, 9-Round Magazine and One, 15-Round Magazine with Grip Extension**

Model Number	Caliber	Capacity	COMPARE		Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist
			Slide/Finish									
3476	40 S&W	15+1	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.50"	6.85"	4.61"	1.27"	23.4 oz.	1:16"
3477	40 S&W	15+1	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.50"	6.85"	4.61"	1.27"	23.4 oz.	1:16"
3478	40 S&W	9+1**	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.50"	6.85"	4.61"	1.27"	23.4 oz.	1:16"
3479	40 S&W	9+1**	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.50"	6.85"	4.61"	1.27"	23.4 oz.	1:16"

* With 10-round magazine. ** Ships with two lower capacity magazines, either two 9-round or two 10-round magazines. † With 9-round magazine.



9E®



Model 3340 Shown



Ships with One, 17-Round or One, 10-Round Magazine

Model Number	Caliber	Capacity	COMPARE		Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
			Slide/Finish									
3340	9mm Luger	17+1	Alloy Steel/Black Oxide		Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	4.14"	7.50"	5.53"	1.27"	27.2 oz.	1:10"
3341	9mm Luger	10+1	Alloy Steel/Black Oxide		Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	4.14"	7.50"	5.53"	1.27"	27.2 oz.	1:10"

SR9®



Model 3321 Shown



Ships with Two Flush-Fit Magazines

Model Number	Caliber	Capacity	COMPARE		Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight*	Twist
			Slide/Finish									
3301	9mm Luger	17+1	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	26.5 oz.	1:10"
3321	9mm Luger	17+1	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	26.5 oz.	1:10"
3309	9mm Luger	10+1	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	26.2 oz.	1:10"
3312	9mm Luger	10+1	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	4.14"	7.50"	5.52"	1.27"	26.2 oz.	1:10"

SR9c®



Model 3313 Shown



Accepts Most Full-Size SR9® Accessories and All Full-Size SR9® Standard Magazines



Additional Slide Serrations Provide a Sure Grip



Ships with a Finger Grip Extension Floorplate, One, 10-Round Magazine and One, 17-Round Magazine with Grip Extension**

Model Number	Caliber	Capacity	COMPARE		Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight*	Twist
			Slide/Finish									
3313	9mm Luger	17+1	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.40"	6.85"	4.61"	1.27"	23.4 oz.	1:10"
3314	9mm Luger	17+1	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.40"	6.85"	4.61"	1.27"	23.4 oz.	1:10"
3316	9mm Luger	10+1**	Stainless Steel/Brushed Stainless		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.40"	6.85"	4.61"	1.27"	23.4 oz.	1:10"
3317	9mm Luger	10+1**	Alloy Steel/Black Nitride		Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	3.40"	6.85"	4.61"	1.27"	23.4 oz.	1:10"

SR22®



SR22® with 4.50" Barrel
(Model 3620)

SR22® with Threaded Barrel
(Model 3604*)

The **Ruger® SR22®** is the do-it-all .22 LR pistol for the shooter who appreciates style and demands reliability. Packed with versatile features, the SR22® is lightweight, easy to field strip, fun to shoot and will run reliably with a wide variety of ammunition (not just high-velocity ammunition).

SR22®

Model Number	Caliber	Capacity	COMPARE		Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
			Slide/Finish									
3600	22 LR	10	Aluminum/Black Anodized		Black Polymer	Adjustable 3-Dot	3.50"	6.40"	4.90"	.97"	17.5 oz.	1:16"
3604	22 LR	10	Aluminum/Black Anodized		Black Polymer	Adjustable 3-Dot	3.50"	6.40**	4.90"	.97"	17.5 oz.	1:16"
3607	22 LR	10	Aluminum/Silver Anodized		Black Polymer	Adjustable 3-Dot	3.50"	6.40"	4.90"	.97"	17.5 oz.	1:16"
3620	22 LR	10	Aluminum/Black Anodized		Black Polymer	Adjustable 3-Dot	4.50"	7.40"	4.90"	.97"	18.7 oz.	1:16"

FEATURES

- Light double-action and crisp single-action trigger pulls. External hammer is designed with a rounded spur for easy cocking and single-action shooting.
- Polymer frame and two interchangeable rubberized grips with angled serrations allow shooters to select either a slim or wider palm swell option (no tools required).
- The aerospace-grade aluminum slide has serrations on both the front and rear for better grip and slide manipulation.
- The dovetailed, high-visibility three-dot sight system has a fixed front sight and a rear sight that is both windage- and elevation-adjustable. A reversible blade allows shooters to select two white dots or a solid black blade.
- The easy-to-use underside Picatinny rail features multiple cross slots for variable mounting of most popular accessories.
- A visual inspection port allows for visual confirmation of a loaded or empty chamber.
- Features a stainless steel replaceable barrel, an ambidextrous manual thumb safety/decocking lever and an ambidextrous magazine release.
- Easy to field strip.
- Also includes: two, 10-round magazines; two finger grip extension floorplates.

SR22® Threaded Barrel Kit**

Comes with Factory-Manufactured Stainless Steel Barrel, Barrel Cap, Adapter and Wrench.



Threaded Barrel (Model 3604)



Accepts any 1/2"-28 (Class 2A) Muzzle Device (Not Included) – Barrel Cap, Adapter and Wrench Provided



External Hammer with a Rounded Spur for Easy Cocking



Picatinny Rail with Multiple Cross Slots for Variable Mounting of Accessories



Ambidextrous Manual Thumb Safety/Decocking Lever and Magazine Release



Fixed, White Dot Front Sight and Adjustable Rear Sight with Reversible Blade



Two Grip Options for Slim or Wider Palm Swell

* With thread protector installed. ** Compatible with SR22® pistols bearing serial numbers 361-7XXXX and higher.

MARK IV™



Mark IV™ Competition
(Model 40112)
★ **NEW**



Mark IV™ Target
(Model 40101)
★ **NEW**

Ruger has long set the standard for reliable, affordable and accurate .22 LR handguns, beginning with the introduction of the Standard Pistol in 1949. Since then, the Standard Pistol has undergone a series of enhancements with the development of the Mark I, Mark II™, Mark III™ and now the **Ruger® Mark IV™**. The Mark IV™ maintains the classic look of the Mark III™ with a simple, one-button takedown for quick and easy field stripping.

FEATURES

- Simple, one-button takedown for quick and easy field-stripping and proper chamber to muzzle cleaning. A recessed button in the back of the frame allows the barrel-receiver assembly to tilt up and off the grip frame without the use of tools.
- One-piece, precision CNC-machined grip frame.
- Ergonomic bolt stop.
- Smoothly contoured, comfortable grip features a natural-pointing grip angle with replaceable, checkered grip panels for a non-slip hold. Some models also available with target laminate grips featuring wrap-around finger grooves.
- Internal cylindrical bolt construction ensures permanent sight to barrel alignment and higher accuracy potential than conventional moving-slide designs.
- Contoured ejection port and easy-to-grasp bolt ears allow for durable and reliable operation round after round.
- Accurate sighting system features an adjustable rear sight and drilled and tapped receiver for Weaver- or Picatinny-style rail for easy mounting of optics (rail not included).
- Ambidextrous manual safety positively locks the sear in the "SAFE" position when applied. Safety can be converted to left-side only.
- Features a conveniently located push button magazine release on the left side of the frame.
- Magazine drops free on release for faster reloading.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also includes: two, 10-round magazines.



Accurate, Adjustable Sighting System



Available in a Variety of Grip Configurations



Ambidextrous Manual Safety Positively
Locks the Sear When Applied



Available in Multiple Barrel Configurations



Simple, One-Button Takedown for Quick and Easy Field-Stripping (No Tools Required)

MARK IV™

MARK IV™ TARGET



Model 40101 Shown



One-Piece, Aluminum or Stainless Steel Grip Frame



Checkered Synthetic or Target Laminate Grips



Heavy Bull Barrel

	Model Number	Caliber	Capacity	COMPARE		Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
				Material/Finish										
NEW	40101	22 LR	10	Alloy Steel/Blued		Heavy Bull	Checkered Synthetic	Fixed Front, Adjustable Rear	5.50"	9.75"	5.50"	1.20"	35.6 oz.	1:16"
NEW	40159	22 LR	10	Alloy Steel/Blued		Heavy Bull	Target Laminate	Fixed Front, Adjustable Rear	5.50"	9.75"	5.50"	1.46"	35.8 oz.	1:16"
NEW	40103	22 LR	10	Stainless Steel/Satin Stainless		Heavy Bull	Checkered Synthetic	Fixed Front, Adjustable Rear	5.50"	9.75"	5.50"	1.20"	42.8 oz.	1:16"

MARK IV™ HUNTER



Model 40118 Shown



One-Piece, Stainless Steel Grip Frame



Checkered Synthetic or Target Laminate Grips



Fluted Bull Barrel

	Model Number	Caliber	Capacity	Material/Finish	Barrel	COMPARE		Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
						Grips								
NEW	40118	22 LR	10	Stainless Steel/Satin Stainless	Fluted Bull	Checkered Laminate		Fiber Optic Front, Adjustable Rear	6.88"	11.12"	5.50"	1.20"	44 oz.	1:16"
NEW	40160	22 LR	10	Stainless Steel/Satin Stainless	Fluted Bull	Target Laminate		Fiber Optic Front, Adjustable Rear	6.88"	11.12"	5.50"	1.46"	44.2 oz.	1:16"

MARK IV™ COMPETITION



One-Piece, Stainless Steel Grip Frame



Checkered Laminate Grips with Thumbrest




Slab-Sided Bull Barrel

	Model Number	Caliber	Capacity	Material/Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist
NEW	40112	22 LR	10	Stainless Steel/Satin Stainless	Slab-Sided Bull	Checkered Laminate with Thumbrest	Fixed Front, Adjustable Rear	6.88"	11.12"	5.50"	1.75"	45.8 oz.	1:16"

THE RUGER SPECIAL ORDER PROGRAM

Our **Ruger Special Order Program** is a new approach designed to assist consumers in the United States in locating hard-to-find products. These models would normally be discontinued due to low demand, but instead are made available via limited distribution. These products remain available to all international customers for ordering, but production will be limited and scheduled only when the demand justifies a production run.

Therefore, if you are interested in one of these models, please understand that the lead time could be longer than for standard cataloged models. Once you place an order it will be added to the next production run, which could be at least six months away.



It's easy to find **Ruger Special Order Program Firearms** at **Ruger.com**. Simply look for the "Special Order" link in product grids.

Spec Sheet

Buy Now

Special Order

Spec Sheet

Buy Now

Special Order

Spec Sheet

Buy Now

Special Order

RUGER SPECIAL ORDER PROGRAM FIREARMS CAN BE FOUND ON:
Page 37 (GP100® models), page 86 (Mini-14® Ranch model), pages 91-93 (Ruger American Rifle® models), page 105 (Hawkeye® African Left-Handed model) and page 109 (Hawkeye® Compact models).

RUGER.COM/MARKIV

RUGER.COM

© 2017 Sturm, Ruger & Co., Inc. 010917

Find Ruger:



MARK IV™ 22/45™



★NEW

Mark IV™ 22/45™ Tactical
(Model 40149*)



★NEW

Mark IV™ 22/45™ Lite with
Bronze Anodized Finish
(Model 43909*)

The **Mark IV™ 22/45™** provides the feel of the classic 1911 pistol with the reliability and accuracy of Ruger’s cylindrical bolt and fixed barrel construction. This perfect trainer allows for low-cost practice and provides shooters with the familiar and preferred grip shape, angle and feel of the famous 1911 .45 caliber pistol.

MARK IV™ 22/45™ LITE

COMPARE												
	Model Number	Caliber	Capacity	Material/Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight
NEW	43906*	22 LR	10	Aluminum/Black Anodized	Threaded	Polymer	Fixed Front, Adjustable Rear	4.40"	8.40"	5.50"	1.22"	25 oz.
NEW	43909*	22 LR	10	Aluminum/Bronze Anodized	Threaded	Polymer	Fixed Front, Adjustable Rear	4.40"	8.40"	5.50"	1.22"	25 oz.

MARK IV™ 22/45™ TACTICAL


	Model Number	Caliber	Capacity	Material/Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight
NEW	40149*	22 LR	10	Alloy Steel Black Oxide	Threaded	Polymer	Fixed Front, Adjustable Rear	4.40"	8.50"	5.50"	1.22"	33.3 oz.

MARK IV™ 22/45™

	Model Number	Caliber	Capacity	Material/Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight
NEW	40107	22 LR	10	Alloy Steel Blued	Heavy Bull	Polymer	Fixed Front, Adjustable Rear	5.50"	9.75"	5.50"	1.22"	34.4 oz.

FEATURES

- Simple, one-button takedown for quick and easy field-stripping and proper chamber to muzzle cleaning. A recessed button in the back of the frame allows the barrel-receiver assembly to tilt up and off the grip frame without the use of tools.
- Lite models feature a receiver made of aerospace-grade aluminum and are ventilated, making the pistols extremely light.
- Threaded barrel (1/2"-28) for popular muzzle accessories (thread protector included). Excludes model 40107.
- Comfortable, precision-molded polymer grip frame with a serrated frontstrap and checkered backstrap.
- Checkered, 1911-style grip panels for a great appearance and comfortable, non-slip hold.
- Ergonomic bolt stop.
- Internal cylindrical bolt construction ensures permanent sight to barrel alignment and higher accuracy potential than conventional moving-slide designs. Accurate sighting system features an adjustable rear sight and a factory-installed Picatinny rail for easy mounting of optics.
- Contoured ejection port and easy-to-grasp bolt ears allow for durable and reliable operation round after round.
- Accurate sighting system features an adjustable rear sight and a factory-installed Picatinny rail for easy mounting of optics. Tactical model features top and bottom Picatinny rails for attaching tactical accessories.
- Ambidextrous manual safety positively locks the sear in the "SAFE" position when applied. Safety can be converted to left-side only.
- Features a conveniently located push button magazine release on the left side of the frame.
- Magazine drops free on release for faster reloading.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also includes: two, 10-round magazines.



Receiver is Made of Aerospace-Grade Aluminum and is Ventilated, Making the Pistol Extremely Light (Lite Models Only)

Ambidextrous Manual Safety Positively Locks the Sear When Applied

Comfortable, Precision-Molded Polymer Grip Frame

Accurate Sighting System Features an Adjustable Rear Sight and a Factory-Installed Picatinny Rail for Easy Mounting of Optics

Threaded Barrel (1/2"-28) for Popular Muzzle Accessories (Excludes Model 40107)

* Pistols with threaded barrels are not available in all states and locales due to laws containing feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.



Packed with the latest technological advances and features required by today’s most demanding shooters, the **Ruger® LCR®** is the evolution of the revolver. The Ruger® LCR® is a lightweight, small-frame revolver with a uniquely smooth trigger and highly manageable recoil.



High-Strength Stainless Steel Cylinder



Monolithic Frame



Patented Friction Reducing Cam




Hogue® Tamer™ Monogrip® Reduces Perceived Recoil

FEATURES

- Monolithic frame is made from aerospace-grade, 7000 series aluminum in .22 LR, .22 Magnum and .38 Spl +P models and from 400 series stainless steel in the powerful .357 Magnum, 9mm Luger and .327 Federal Magnum models.
- Patented friction-reducing cam is a next generation design in fire control systems that results in a smooth, non-stacking trigger pull.
- Patented polymer fire control housing holds all the fire control components in their proper dimensional relationships, reduces weight significantly and helps reduce recoil.
- High-strength stainless steel cylinder, featuring a PVD finish for excellent durability, is extensively fluted, reducing weight.
- Grip peg allows for a variety of grip styles to be installed.
- Replaceable, pinned ramp front sight with white bar.

Trigger Pull Comparison



LCR®

LCR®




Model 5452 Shown



Replaceable, Pinned Ramp Front and Integral Notch Rear Sights



Compact Hogue® Tamer™ Monogrip® with Finger Grooves



Moon Clips Included with Model 5456 for Quick and Easy Loading

COMPARE											
Model Number	Caliber	Capacity	Grip	Grip Frame	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist
5410	22 LR	8	Hogue® Tamer™ Monogrip®	Aluminum	Ramp	Integral	1.87"	6.50"	4.50"	14.9 oz.	1:16"
5414	22 WMR	6	Hogue® Tamer™ Monogrip®	Aluminum	Ramp	Integral	1.87"	6.50"	4.50"	16.6 oz.	1:9"
5401	38 Spl +P	5	Hogue® Tamer™ Monogrip®	Aluminum	Ramp	Integral	1.87"	6.50"	4.50"	13.5 oz.	1:16"
5456	9mm Luger	5	Hogue® Tamer™ Monogrip®	Stainless Steel	Ramp	Integral	1.87"	6.50"	4.50"	17.2 oz.	1:16"
5452	327 Fed Mag	6	Hogue® Tamer™ Monogrip®	Stainless Steel	Ramp	Integral	1.87"	6.50"	4.50"	17 oz.	1:16"
5450	357 Mag	5	Hogue® Tamer™ Monogrip®	Stainless Steel	Ramp	Integral	1.87"	6.50"	4.50"	17.1 oz.	1:16"

LCRx®



Model 5460 Shown



Replaceable, Pinned Ramp Front and Integral Notch Rear Sights



Compact Hogue® Tamer™ Monogrip® with Finger Grooves



External Hammer for Single-Action Use

COMPARE											
Model Number	Caliber	Capacity	Grip	Grip Frame	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist
5430	38 Spl +P	5	Hogue® Tamer™ Monogrip®	Aluminum	Ramp	Integral	1.87"	6.50"	4.50"	13.5 oz.	1:16"
NEW 5460	357 Mag	5	Hogue® Tamer™ Monogrip®	Stainless Steel	Ramp	Integral	1.87"	6.50"	4.50"	17.1 oz.	1:16"

LCRx® with 3" Barrel and Adjustable Rear Sight



Model 5435 Shown



Replaceable, Pinned Ramp Front and Adjustable Black Blade Rear Sights



Full-Size Smooth Hogue® Tamer™ Monogrip®



External Hammer for Single-Action Use

COMPARE											
Model Number	Caliber	Capacity	Grip	Grip Frame	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist
5431	38 Spl +P	5	Hogue® Tamer™ Monogrip®	Aluminum	Ramp	Adjustable	3"	7.50"	5.80"	15.7 oz.	1:18.75"
NEW 5435	22 LR	8	Hogue® Tamer™ Monogrip®	Aluminum	Ramp	Adjustable	3"	7.50"	5.80"	17.3 oz.	1:16"



RUGER.COM/LCR

ABOUT THE WEB



RUGER.COM makes it easy for you to find all of the great Ruger® products, accessories and information you’re looking for! The new **Ruger.com** features search options and filtering tools for a more intuitive user experience. The products you love are easy to find and simple to view on any device – and the clean, photo-centric layout brings you up close and personal to our innovative product features and images.



Responsive layout allows for a unified browsing experience across all of your devices – laptop, tablet and smartphone!



Image-based navigation makes it simpler to find the products, support, news and information you are looking for.



The new HTML5 video player no longer relies on flash, making product videos truly cross-platform.



Full screen feature images provide you with an immersive browsing experience.



Product pages are self-contained and layered to be more informative than ever.



An expanded database-centric structure provides more details, specifications, features and imagery across the entire product line - down to the model level.

RUGER.COM

RUGER SP101®



**Ruger SP101® with Engraved
Hardwood Inserts**
(Model 5773)

**Ruger SP101® with 2.25" Barrel
and Fixed Sights**
(Model 5718)

The **Ruger SP101®** revolver boasts the strength to handle the powerful .357 Magnum cartridge in a controllable, small-frame double-action revolver. Among the most rugged, small-frame revolvers on the market, the Ruger SP101® is engineered for solid performance.



FEATURES

- Patented grip frame easily accommodates a variety of custom grips.
- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Cushioned rubber grip with black plastic or hardwood inserts has no exposed metal in the backstrap, making it extremely comfortable.
- Takedown of integrated subassemblies requires no special tools and allows for easy maintenance and re-assembly.
- Patented transfer bar mechanism provides an unparalleled measure of security against accidental discharge.



Patented Grip Frame Design



Triple-Locking Cylinder



Available in a Variety of
Grip Configurations



Patented Transfer Bar Mechanism



Easy Takedown Requires No Special Tools

RUGER SP101®

RUGER SP101® with 2.25" Barrel



Model 5718 Shown



Pinned, Replaceable Black Ramp Front and Integral Rear Sights



Cushioned Rubber Grip with Black Plastic Inserts

Model Number	COMPARE		Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
	Caliber										
5737	38 Spl +P		5	Stainless Steel/Satin Stainless	Cushioned Rubber/ Black Plastic Inserts	Ramp	Integral	2.25"	7.20"	26 oz.	1:18.75"
5718	357 Mag		5	Stainless Steel/Satin Stainless	Cushioned Rubber/ Black Plastic Inserts	Ramp	Integral	2.25"	7.20"	26 oz.	1:16"

RUGER SP101® with 3" Barrel



Pinned, Replaceable Black Ramp Front and Integral Rear Sights



Cushioned Rubber Grip with Black Plastic Inserts

Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
5719	357 Mag	5	Stainless Steel/Satin Stainless	Cushioned Rubber/ Black Plastic Inserts	Ramp	Integral	3"	8"	27 oz.	1:16"



RUGER SP101® with Spurless Hammer



Spurless Hammer Model is Double-Action Only and Ideal for a Snag-Free Draw



Pinned, Replaceable Black Ramp Front and Integral Rear Sights



Cushioned Rubber Grip with Black Plastic Inserts

Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
5720	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Plastic Inserts	Ramp	Integral	2.25"	7.20"	25 oz.	1:16"

RUGER SP101® with Engraved Hardwood Inserts



Model 5773 Shown



Dovetailed, Fiber Optic Front and Adjustable Rear Sights



Cushioned Rubber Grip with Engraved Hardwood Inserts

Model Number	COMPARE		Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
	Caliber										
5765	22 LR		8	Stainless Steel/Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20"	9.12"	30 oz.	1:16"
5773	327 Fed Mag		6	Stainless Steel/Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20"	9.12"	29.5 oz.	1:16"
5771	357 Mag		5	Stainless Steel/Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20"	9.12"	29.5 oz.	1:16"

GP100®



★ **NEW**

**GP100®
in .44 Special
(Model 1761)**

**GP100®
in .22 LR
(Model 1757)**

**GP100® Match
Champion™
(Model 1754)**

Ruger® GP100® double-action revolvers are comfortable shooting revolvers with rugged, medium-sized frames that permit repeated firing of powerful .357 Magnum cartridges with minimal shooter fatigue.

FEATURES

- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Patented grip frame design easily accommodates a wide variety of custom grips.
- Takedown of integrated subassemblies requires no special tools and allows for easy maintenance and assembly.
- Patented transfer bar mechanism provides an unparalleled measure of security against accidental discharge.



GP100® Match Champion™ Features



Match-Tuned Action



Custom Hogue® Hardwood Grip with Stippled Sides Ideal for Competition



Slab-Sided Half-Lug Barrel with 11° Target Crown for Competition-Level Accuracy



Chamfered Cylinder Ejector for Quick Reloading



Easy Takedown with No Special Tools Required



Triple-Locking Cylinder



Available in a Variety of Grip Configurations



Patented Grip Frame Design

GP100®

GP100®



Model 1761 Shown



Heavy, Full-Shrouded Barrel




Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip® (Model 1761 Features Smooth Grip)

Model Number	COMPARE		Material/Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
	Caliber	Capacity								
1715	357 Mag	6	Stainless Steel/Satin Stainless	Hogue® Monogrip®	Ramp	Integral	3"	8.50"	36 oz.	1:18.75"
1751 Special Order	38 Spl+P	6	Stainless Steel/Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	3"	8.50"	36 oz.	1:18.75"
NEW 1761	44 Special	5	Stainless Steel/Satin Stainless	Hogue® Monogrip®	Fiber Optic	Adjustable	3"	8.50"	36 oz.	1:20"

GP100® with 4.20" Barrel



Model 1705 Shown



Heavy, Full-Shrouded Barrel



Ramp Front and Adjustable Rear Sights



Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip®

Model Number	COMPARE		Material/Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
	Caliber	Capacity								
1702	357 Mag	6	Alloy Steel/Blued	Hogue® Monogrip®	Ramp	Adjustable	4.20"	9.50"	40 oz.	1:18.75"
1705	357 Mag	6	Stainless Steel/Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	4.20"	9.50"	40 oz.	1:18.75"
1750 Special Order	38 Spl+P	6	Stainless Steel/Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	4.20"	9.50"	40 oz.	1:18.75"

GP100® with 6" Barrel



Model 1704 Shown



Heavy, Full-Shrouded Barrel



Ramp Front and Adjustable Rear Sights



Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip®

Model Number	Caliber	Capacity	COMPARE		Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
			Material/Finish								
1704	357 Mag	6	Alloy Steel/Blued		Hogue® Monogrip®	Ramp	Adjustable	6"	11.50"	45 oz.	1:18.75"
1707	357 Mag	6	Stainless Steel/Satin Stainless		Hogue® Monogrip®	Ramp	Adjustable	6"	11.50"	45 oz.	1:18.75"

SPECIAL ORDER MODEL: See page 24 for details.

RUGER®

GP100® in .22 LR



Half-Lug Barrel



Fiber Optic Front and Adjustable Rear Sights



Cushioned Rubber Grip with Hardwood Insert

Model Number	Caliber	Capacity	Material/Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
1757	22 LR	10	Stainless Steel/Satin Stainless	Cushioned Rubber/Hardwood Inserts	Fiber Optic	Adjustable	5.50"	11.30"	42 oz.	1:16"

GP100® MATCH CHAMPION™



Slab-Sided, Half-Lug Barrel



Fiber Optic Front and Fixed Novak® LoMount Carry Rear Sights



Hogue® Stippled Hardwood Grip

Model Number	Caliber	Capacity	Material/Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
1754	357 Mag	6	Stainless Steel/Satin Stainless	Hogue® Hardwood	Fiber Optic	Fixed	4.20"	9.50"	38 oz.	1:18.75"

GP100® MATCH CHAMPION™ with Adjustable Rear Sight



Slab-Sided, Half-Lug Barrel



Fiber Optic Front and Adjustable Rear Sights



Hogue® Stippled Hardwood Grip

Model Number	Caliber	Capacity	Material/Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist
1755	357 Mag	6	Stainless Steel/Satin Stainless	Hogue® Hardwood	Fiber Optic	Adjustable	4.20"	9.50"	38 oz.	1:18.75"



Redhawk® in
.357 Magnum
(Model 5033)
★NEW




Redhawk® with
Hogue® Monogrip®
(Model 5026)

The **Ruger® Redhawk®** revolver was Ruger's first double-action revolver specifically designed for the powerful .44 Magnum cartridge. It embodies many advanced features such as a triple-locking cylinder, a unique single-spring mechanism for a smooth trigger pull, replaceable front sight and adjustable rear sight and all stainless steel construction.

FEATURES

- Unique, patented single-spring mechanism allows for a smooth, light trigger pull.
- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Easy sighting with readily replaceable colored front blade sight insert and adjustable rear sight with white outline.
- Rugged stainless steel construction with no side plates is designed specifically to handle powerful magnum loads through extra metal in the top strap, sidewalls and barrel mounting areas.
- Patented transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- .44 Magnum models are dual chambered to also accept factory .44 Special cartridges.
- .357 Magnum models are dual chambered to also accept factory .38 Special cartridges.



Unique, Patented Single-Spring Mechanism



Readily Replaceable Colored Front Blade Sight Insert and Adjustable Rear Sight with White Outline



Triple-Locking Cylinder



Available in a Variety of Grip Configurations



Patented Transfer Bar Mechanism

REDHAWK®

REDHAWK® with 5.50" Barrel



Hardwood Grips

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
5004	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50"	11"	49 oz.	1:20"


REDHAWK® with 7.50" Barrel



Hardwood Grips

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
5001	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50"	13"	54 oz.	1:20"

REDHAWK® in .45 Auto/.45 Colt



Three (3) Full Moon Clips Included
for Quick and Easy Loading
(.45 Auto Only)



Engraved Hardwood Grips

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
5032	45 Auto/45 Colt	6	Stainless Steel/ Satin Stainless	Engraved Hardwood	Ramp Front, Adjustable Rear	4.20"	9.50"	44 oz.	1:16"

REDHAWK® in .357 Magnum



Cylinder Relieved for Full Moon Clips
(Three Included)



Hardwood Grips with Round
Butt and Smooth Panels

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
NEW 5033	357 Mag	8	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	2.75"	8.25"	44 oz.	1:18.75"

REDHAWK® with Hogue® Monogrip®




Model 5026 Shown



Black Hogue® Monogrip®

Model Number	COMPARE		Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
	Caliber									
5026	44 Rem Mag		6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp Front, Adjustable Rear	4.20"	9.50"	47 oz.	1:20"
5027	45 Colt		6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp Front, Adjustable Rear	4.20"	9.50"	46 oz.	1:16"

REDHAWK® HUNTER



Features Integral Scope Mounts
(Scope Rings Included)



Hardwood Grips

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
5003	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50"	13"	54 oz.	1:20"

SUPER REDHAWK®



Super Redhawk®
with 7.50" Barrel
(Model 5505)


Super Redhawk Alaskan®
in .480 Ruger
(Model 5302)

The **Ruger® Super Redhawk®** revolver features a unique cushioned grip system, cold hammer-forged barrel and an extended frame machined to accept Ruger® scope rings (included free of charge; not available on Ruger® Super Redhawk Alaskan® models).



FEATURES

- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Corrosion-resistant stainless steel finish boasts the durability and reliability that is the hallmark of a Ruger® firearm.
- Strong extended frame with extra metal in the top strap, sidewalls and barrel mounting areas to handle powerful, big game loads.
- Hogue® Tamer™ Monogrip® with an internal recoil cushion positioned under the web of the hand helps reduce the impact of powerful loads, while the peg-style grip frame easily accommodates custom grips.
- Dual chambering allows .44 Magnum models to accept factory .44 Special cartridges and .454 Casull models to accept factory .45 Colt cartridges.
- Patented transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Fixed, replaceable ramp front sight insert and adjustable rear sight (non-Alaskan models feature a red ramp insert).
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.



Hogue® Tamer™ Monogrip® Reduces Perceived Recoil

Strong Extended Frame

Triple-Locking Cylinder

Fixed, Replaceable Ramp Front Insert
and Adjustable Rear Sights

Cold Hammer-Forged Barrel

SUPER REDHAWK®

SUPER REDHAWK® with 7.50" Barrel



Model 5501 Shown



Patented Integral Mounts are Machined Directly on the Solid-Steel Barrel Rib to Provide a Stable Mounting Surface for Scope Rings, Eliminating a Potential Source of Looseness and Inaccuracy in the Field (Scope Not Included)

Model Number	COMPARE		Capacity	Material/ Finish	Grip	Sights	Barrel Length	Overall Length	Weight	Twist
	Caliber									
5507	480 Ruger		6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50"	13"	53 oz.	1:18"
5501	44 Rem Mag		6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50"	13"	53 oz.	1:20"
5505	454 Casull		6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50"	13"	52 oz.	1:24"

SUPER REDHAWK® with 9.50" Barrel



Patented Integral Mounts are Machined Directly on the Solid-Steel Barrel Rib to Provide a Stable Mounting Surface for Scope Rings, Eliminating a Potential Source of Looseness and Inaccuracy in the Field (Scope Not Included)

Model Number	Caliber	Capacity	Material/ Finish	Grip	Sights	Barrel Length	Overall Length	Weight	Twist
5502	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	9.50"	15"	58 oz.	1:20"

SUPER REDHAWK ALASKAN®



Model 5302 Shown



Alaskan Model Features a Compact 2.50" Barrel for Ease of Carry in Rugged Environments

Model Number	COMPARE		Capacity	Material/ Finish	Grip	Sights	Barrel Length	Overall Length	Weight	Twist
	Caliber									
5302	480 Ruger		6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50"	7.62"	44 oz.	1:18"
5303	44 Rem Mag		6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50"	7.62"	45 oz.	1:20"
5301	454 Casull		6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50"	7.62"	44 oz.	1:24"



RUGER.COM/SUPERREDHAWK



G R E A T N E W P R O D U C T S F R O M R U G E R



RUGER®
LCP® II

The LCP® II features a short, crisp trigger pull with single-action feel, inner trigger safety, improved sights for superior visibility, a larger grip surface for better distribution of recoil forces and an easy-to-rack slide with an improved slide stop mechanism with a last round hold-open.



The Ruger American Pistol® Compact model shares all of the features and rugged reliability of the duty-size gun in a smaller, lighter, more concealable package. Originally introduced in December 2015, the feature-rich Ruger American Pistol® was designed with the latest U.S. Military standards in mind and was tested in the harshest environments to ensure the rugged reliability consumers have come to expect from Ruger.



THE RUGER®
SR1911
T A R G E T

The SR1911® Target features a Bomar-style, fully adjustable rear sight and an extended, ambidextrous manual safety. This new, full-size SR1911® in satin-finished stainless steel also features blackened controls with G-10 textured grips.



RUGER®
MARK IV™

The heavily redesigned Mark IV™ maintains the same classic outward appearance as the Mark III™ and incorporates a significant improvement customers will love – a simple, one-button takedown for quick and easy field stripping. A recessed button in the back of the frame allows the upper receiver to tilt up and off the grip frame without the use of tools.



RUGER PRECISION RIFLE®

The new enhancements to the highly popular Ruger Precision Rifle® make a great rifle even better. These models feature a new handguard providing increased scope clearance, a hybrid muzzle brake that reduces felt recoil and a billet aluminum bolt shroud which adds an upgrade that has become popular with Ruger Precision Rifle® owners.

FIND ALL NEW PRODUCTS FOR 2017 AT RUGER.COM/NEW

© 2017 Sturm, Ruger & Co., Inc. 032317

Find Ruger:






Ruger Vaquero® with
Blued Finish (Model 5106)

Ruger Vaquero® with High-Gloss
Stainless Finish (Model 5104)

Since its introduction in 1993, the **Ruger Vaquero®** has dominated the cowboy action shooting world and earned its reputation for rugged reliability due to its strength and mechanical superiority.



Traditional Western-Style, Hand-Filling Grip



Blade Front and Integral Notch Rear Sights



Patented Reverse Indexing Pawl



Patented Transfer Bar Mechanism



SASS® Ruger Vaquero® Two-Gun Set

FEATURES

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Patented reverse indexing pawl allows for easier loading and unloading, while the traditional beveled cylinder simplifies holstering.
- Patented transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Handsome, larger crescent-shaped ejector rod head boasts traditional form, perfect for every cowboy or cowgirl.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Blade front and integral notch rear sights.



RUGER VAQUERO®

RUGER VAQUERO® with Blued Finish



Model 5102 Shown



Blued Finish



Hardwood Grips

Model Number	COMPARE		Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
	Caliber									
5107	357 Mag		6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.62"	10.25"	43 oz.	1:16"
5106	357 Mag		6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	5.50"	11.12"	44 oz.	1:16"
5102	45 Colt		6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.62"	10.25"	40 oz.	1:16"
5101	45 Colt		6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	5.50"	11.12"	40 oz.	1:16"

RUGER VAQUERO® with High-Gloss Stainless Finish



Model 5104 Shown



High-Gloss Stainless Finish



Hardwood Grips

Model Number	COMPARE		Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
	Caliber									
5109	357 Mag		6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	4.62"	10.25"	43 oz.	1:16"
5108	357 Mag		6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	5.50"	11.12"	44 oz.	1:16"
5105	45 Colt		6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	4.62"	10.25"	40 oz.	1:16"
5104	45 Colt		6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	5.50"	11.12"	41 oz.	1:16"



BISLEY™ RUGER VAQUERO®



Model 5129 Shown



Simulated Ivory Grips



Bisley-Style Hammer

Model Number	COMPARE		Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
	Caliber									
5130	357 Mag		6	Stainless Steel/High-Gloss Stainless	Simulated Ivory	Blade Front, Integral Rear	5.50"	11.12"	45 oz.	1:16"
5129	45 Colt		6	Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Blade Front, Integral Rear	5.50"	11.12"	41 oz.	1:16"

SASS® RUGER VAQUERO® Two-Gun Set



Model 5133 Shown



Black, Checkered Grips with SASS® Logo



Montado-Style Hammer



Consecutive Serial Numbers with "SASS" Prefix (Ex: SASS00007 and SASS00008, Shipped Together in Same, Commemorative Case)

Model Number	COMPARE		Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
	Caliber									
5133 (Two-Gun Set)	357 Mag		6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Blade Front, Integral Rear	4.62"	10.25"	45 oz.	1:16"
5134 (Two-Gun Set)	45 Colt		6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Blade Front, Integral Rear	5.50"	11.12"	40 oz.	1:16"


NEW MODEL SUPER BLACKHAWK®



New Model Super Blackhawk® Hunter
(Model 0860)

New Model Super Blackhawk®
with Fluted Cylinder (Model 0811)

Handgun hunters, long-range competitors and fans of single-action revolvers are attracted to the classic design, rugged durability and smooth function of the **Ruger® New Model Super Blackhawk®**.




Patented Transfer Bar Mechanism



Traditional Western-Style,
Hand-Filling Grip



Chambered for .44 Magnum and
.44 Special Cartridges



Ramp Front and Adjustable Rear Sights



FEATURES

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style (model 0862 features Bisley-style grips).
- Patented transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Reliable with coil springs throughout for durability.
- Fixed ramp front sight and adjustable rear sight.
- Chambered in powerful .44 Magnum, these models also accept factory .44 Special cartridges, which deliver superb accuracy and milder recoil.
- Patented integral mounts, machined directly on the solid-steel barrel rib of Hunter models, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.



ORIGINAL “OLD MODEL” (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER!

NEW MODEL SUPER BLACKHAWK®



NEW MODEL SUPER BLACKHAWK®



Model 0813 Shown



Blued or Stainless Finish



Hardwood Grips

Model Number	Caliber	Capacity	COMPARE		Grips	Sights	Barrel Length	Overall Length	Weight	Twist
			Material/Finish							
0813	44 Rem Mag	6	Alloy Steel/Blued		Hardwood	Ramp Front, Adjustable Rear	4.62"	10.50"	45 oz.	1:20"
0814	44 Rem Mag	6	Stainless Steel/Satin Stainless		Hardwood	Ramp Front, Adjustable Rear	4.62"	10.50"	45 oz.	1:20"

NEW MODEL SUPER BLACKHAWK® with Fluted Cylinder



Model 0811 Shown



Blued or Stainless Finish



Hardwood Grips



Fluted Cylinder

Model Number	Caliber	Capacity	COMPARE		Grips	Sights	Barrel Length	Overall Length	Weight	Twist
			Material/Finish							
0810	44 Rem Mag	6	Alloy Steel/Blued		Hardwood	Ramp Front, Adjustable Rear	5.50"	11.38"	45 oz.	1:20"
0811	44 Rem Mag	6	Stainless Steel/Satin Stainless		Hardwood	Ramp Front, Adjustable Rear	5.50"	11.38"	45 oz.	1:20"

NEW MODEL SUPER BLACKHAWK® with Square Back Trigger Guard



Model 0804 Shown



Blued or Stainless Finish



Hardwood Grips




Square Back Trigger Guard

Model Number	Caliber	Capacity	COMPARE		Grips	Sights	Barrel Length	Overall Length	Weight	Twist
			Material/Finish							
0802	44 Rem Mag	6	Alloy Steel/Blued		Hardwood	Ramp Front, Adjustable Rear	7.50"	13.38"	48 oz.	1:20"
0807	44 Rem Mag	6	Alloy Steel/Blued		Hardwood	Ramp Front, Adjustable Rear	10.50" (Target)	16.38"	55 oz.	1:20"
0804	44 Rem Mag	6	Stainless Steel/Satin Stainless		Hardwood	Ramp Front, Adjustable Rear	7.50"	13.38"	48 oz.	1:20"
0806	44 Rem Mag	6	Stainless Steel/Satin Stainless		Hardwood	Ramp Front, Adjustable Rear	10.50" (Target)	16.38"	55 oz.	1:20"

NEW MODEL SUPER BLACKHAWK® HUNTER



Black Laminate Grips



Ramp Front with Red Insert and Adjustable Rear Sights



Patented Integral Scope Mounts (1" Ruger® Scope Rings Included)

Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
0860	44 Rem Mag	6	Stainless Steel/Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50"	13.38"	52 oz.	1:20"

NEW MODEL SUPER BLACKHAWK® BISLEY™ HUNTER



Bisley-Style Black Laminate Grips



Ramp Front with Red Ramp Insert and Adjustable Rear Sights



Patented Integral Scope Mounts (1" Ruger® Scope Rings Included)

Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
0862	44 Rem Mag	6	Stainless Steel/Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50"	13.12"	52 oz.	1:20"

NEW MODEL BLACKHAWK®



The **Ruger® New Model Blackhawk®** is the most advanced single-action revolver ever made. It features a patented transfer bar mechanism with loading gate interlock, an all-coil spring mechanism, adjustable sights and frame-mounted firing pin, while retaining the solid frame, feel and comfortable grip of classic single-action revolvers.

FEATURES

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Target-grade accuracy with ramp front and adjustable rear sights.
- Patented transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Variety of calibers, barrel lengths, grips, finishes and weights guarantees a model to meet the needs of today's single-action shooters.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- .357 Magnum models are dual chambered to also accept factory .38 Special cartridges.



**ORIGINAL "OLD MODEL" (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER!**



Variety of Calibers, Barrel Lengths, Grips, Finishes and Weights Available



Patented Transfer Bar Mechanism



Target-Grade Accuracy



Traditional Western-Style, Hand-Filling Grip



NEW MODEL BLACKHAWK®

NEW MODEL BLACKHAWK® with Satin Stainless Finish



Model 0309 Shown



Hardwood Grips

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	COMPARE		Weight	Twist
						Barrel Length	Overall Length		
0309	357 Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	4.62"	10.50"	46 oz.	1:16"
0319	357 Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	6.50"	12.38"	48 oz.	1:16"

NEW MODEL BLACKHAWK® with Blued Finish



Model 0505 Shown



Black, Checkered, Hard-Rubber Grips

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	COMPARE		Weight	Twist
						Barrel Length	Overall Length		
0505	30 Carb	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	7.50"	13.38"	46 oz.	1:20"
0306	357 Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62"	10.50"	42 oz.	1:16"
0316	357 Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50"	12.38"	45 oz.	1:16"
0405	41 Rem Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62"	10.50"	38 oz.	1:20"
0406	41 Rem Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50"	12.38"	41 oz.	1:20"
0445	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62"	10.50"	39 oz.	1:16"
0455	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	7.50"	13.38"	42 oz.	1:16"
0465	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50"	11.38"	40 oz.	1:16"




NEW MODEL BLACKHAWK® BISLEY™



Model 0831 Shown



Bisley-Style Hardwood Grips



Bisley-Style Hammer

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
0831	44 Rem Mag	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.25"	50 oz.	1:20"
0447	45 Colt	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.25"	48 oz.	1:16"

NEW MODEL BLACKHAWK® CONVERTIBLE



Model 0318 Shown



Black, Checkered, Hard-Rubber Grips



Convertible Models Include Two Cylinders that Can Be Interchanged Without the Use of Tools

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
0308	357 Mag/ 9mm Luger	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62"	10.50"	42 oz.	1:16"
0318	357 Mag/ 9mm Luger	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50"	12.38"	45 oz.	1:16"
0446	45 Colt/ 45 Auto	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62"	10.50"	39 oz.	1:16"
0463	45 Colt/ 45 Auto	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50"	11.38"	40 oz.	1:16"

NEW MODEL SINGLE-SIX® FAMILY



Single-Ten®
(Model 8100)

New Model Single-Six® Hunter
(Model 0662)

New Model Single-Six®
(Model 0661)

The **New Model Single-Six®** lineup includes a whole family of small bore single-action revolvers that are perfect for plinking, small game hunting or serious competition.

FEATURES

- Windage- and elevation-adjustable rear sights (available on most models) help put you on target and keep you there.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Chambered for affordable rimfire shooting.
- Patented transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.



ORIGINAL “OLD MODEL” (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER!



Available in a Variety of Sight, Grip and Finish Configurations



Cold Hammer-Forged Barrel



Patented Transfer Bar Mechanism



22 LR

22 WMR

17 HMR


Available in Multiple Calibers

NEW MODEL SINGLE-SIX® FAMILY

SINGLE-TEN®



Hardwood Gunfighter Grips



Williams™ Adjustable Fiber Optic Sights


Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
--------------	---------	----------	------------------	-------	--------	---------------	----------------	--------	-------

8100	22 LR	10	Stainless Steel/ Satin Stainless	Hardwood Gunfighter	Williams™ Adjustable Fiber Optic	5.50"	11"	38 oz.	1:14"
------	-------	----	----------------------------------	---------------------	----------------------------------	-------	-----	--------	-------

SINGLE-NINE®



Hardwood Gunfighter Grips



Williams™ Adjustable Fiber Optic Sights



6.50" Barrel Helps the .22 WMR Reach its Fullest Potential

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
--------------	---------	----------	------------------	-------	--------	---------------	----------------	--------	-------

8150	22 WMR	9	Stainless Steel/ Satin Stainless	Hardwood Gunfighter	Williams™ Adjustable Fiber Optic	6.50"	12"	39 oz.	1:14"
------	--------	---	----------------------------------	---------------------	----------------------------------	-------	-----	--------	-------

NEW MODEL SINGLE-SIX® in .17 HMR



Black, Checkered, Hard-Rubber Grips



Ramp Front and Adjustable Rear Sights

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
--------------	---------	----------	------------------	-------	--------	---------------	----------------	--------	-------

0661	17 HMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50"	12"	35 oz.	1:7"
------	--------	---	--------------------	-------------------------------	-----------------------------	-------	-----	--------	------

NEW MODEL SINGLE-SIX® HUNTER



Bead Front and Adjustable Rear Sights



Extra Cylinder Allows Shooters to Quickly Change from Shooting .22 LR to .22 WMR



Patented Integral Scope Mounts Provide Stable Surface for Mounting Included Scope Rings

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
--------------	---------	----------	------------------	-------	--------	---------------	----------------	--------	-------

0662	22 LR/ 22 WMR	6	Stainless Steel/ Satin Stainless	Black Laminate	Bead Front, Adjustable Rear	7.50"	13"	45 oz.	1:14"
------	---------------	---	----------------------------------	----------------	-----------------------------	-------	-----	--------	-------




NEW MODEL SINGLE-SIX® CONVERTIBLE with Satin Stainless Finish



Model 0625 Shown



Hardwood Grips



Ramp Front and Adjustable Rear Sights



Extra Cylinder Allows Shooters to Quickly Change from Shooting .22 LR to .22 WMR

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	COMPARE Barrel Length	Overall Length	Weight	Twist
--------------	---------	----------	------------------	-------	--------	--------------------------	----------------	--------	-------

0625	22 LR/ 22 WMR	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50"	11"	39 oz.	1:14"
------	---------------	---	----------------------------------	----------	-----------------------------	-------	-----	--------	-------

0626	22 LR/ 22 WMR	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	6.50"	12"	40 oz.	1:14"
------	---------------	---	----------------------------------	----------	-----------------------------	-------	-----	--------	-------

NEW MODEL SINGLE-SIX® CONVERTIBLE with Blued Finish



Model 0623 Shown



Black, Checkered, Hard-Rubber Grips



Ramp Front and Adjustable Rear Sights



Extra Cylinder Allows Shooters to Quickly Change from Shooting .22 LR to .22 WMR

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	COMPARE Barrel Length	Overall Length	Weight	Twist
--------------	---------	----------	------------------	-------	--------	--------------------------	----------------	--------	-------

0623	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62"	10.25"	32 oz.	1:14"
------	---------------	---	--------------------	-------------------------------	-----------------------------	-------	--------	--------	-------

0621	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50"	11"	33 oz.	1:14"
------	---------------	---	--------------------	-------------------------------	-----------------------------	-------	-----	--------	-------

0622	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50"	12"	35 oz.	1:14"
------	---------------	---	--------------------	-------------------------------	-----------------------------	-------	-----	--------	-------

0624	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	9.50"	15"	39 oz.	1:14"
------	---------------	---	--------------------	-------------------------------	-----------------------------	-------	-----	--------	-------

NEW MODEL SINGLE-SIX® CONVERTIBLE with Blued Finish and Fixed Sights



Model 0646 Shown



Black, Checkered, Hard-Rubber Grips



Blade Front and Integral Rear Sights



Extra Cylinder Allows Shooters to Quickly Change from Shooting .22 LR to .22 WMR

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	COMPARE Barrel Length	Overall Length	Weight	Twist
--------------	---------	----------	------------------	-------	--------	--------------------------	----------------	--------	-------

0646	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Blade Front, Integral Rear	6.50"	12"	35 oz.	1:14"
------	---------------	---	--------------------	-------------------------------	----------------------------	-------	-----	--------	-------

0629	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Blade Front, Integral Rear	5.50"	11"	33 oz.	1:14"
------	---------------	---	--------------------	-------------------------------	----------------------------	-------	-----	--------	-------

NEW BEARCAT®



New Bearcat®
(Model 0912)

New Bearcat® with
Satin Stainless Finish
(Model 0913)

The **Ruger® New Bearcat®** is different from other single-action revolvers. Smaller, lighter and based on older Remington® single-actions of the 1800's, it has a one-piece cylinder frame that also forms its compact grip.

NEW BEARCAT®

COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist
0912	22 LR	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.20"	9"	24 oz.	1:16"
0913	22 LR	6	Stainless Steel/ Satin Stainless	Hardwood	Blade Front, Integral Rear	4.20"	9"	24 oz.	1:16"



FEATURES

- Decorative, unfluted cylinder displays a rollmark with a bear and cougar design.
- Classic styling and one-piece frame are reminiscent of the old Remington® Civil War-era revolvers.
- Patented transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Lightweight and accurate with blade front and integral notch rear sights.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.



**ORIGINAL “OLD MODEL” (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER!**



Lightweight and Accurate



Cold Hammer-Forged Barrel



Patented Transfer Bar Mechanism



Classic Styling and One-Piece Frame



Decorative Unfluted Cylinder

22 CHARGER™



22 Charger™
(Model 4923)

22 Charger™
Takedown
(Model 4924)

The **Ruger® 22 Charger™** pistol is recharged and re-engineered with enhanced features and is now available in a 22 Charger™ Takedown model. First introduced in 2007, this unique .22 LR pistol became a favorite of long-range target shooters and plinkers alike. The new 22 Charger™ pistol offers improved ergonomics and new features, including the BX-15® magazine. The takedown model employs the very popular 10/22 Takedown® quick disconnect feature and allows this pistol to be taken down quickly and easily.

22 CHARGER™

Model Number	Caliber	Capacity	Material/ Finish	Stock	COMPARE		Barrel Length	Overall Length	Weight*	Twist
					Stock Option					
4923	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Standard		10"	19.25"	3.1 lbs.	1:16"
4924	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Takedown		10"	19.25"	3.2 lbs.	1:16"

FEATURES

- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Features a standard A2-style grip that can be easily replaced with any MSR grip.
- Factory-installed Picatinny rail provides ample room for scopes and red-dot sights.
- Includes a 15-round, BX-15® magazine which is the perfect length when shooting with the included bipod prone or from the bench.
- Included adjustable bipod offers rock-steady sighting.
- Threaded barrel features a 1/2"-28 thread pattern that accepts most suppressors, flash hiders and the factory-installed thread protector.
- Takedown model quickly and easily breaks down into two sections for convenient storage and transport.



22CHARGER™ PISTOL



Adjustable Bipod for Rock-Steady Sighting Includes a 15-Round, BX-15® Magazine Standard A2-Style Pistol Grip Takedown Model is Easily Separated and Reassembled Factory-Installed Picatinny Rail

* Without magazine and bipod.



10/22® Target with
Brown Laminate Stock
(Model 1121)



10/22® Carbine with
Black Synthetic Stock
(Model 1256)

FEATURES

- Patented, detachable 10-round rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- This legendary action is a tried and true Ruger design that ensures consistent, reliable performance.
- Easy-to-use prominent magazine release provides smooth, no-fuss removal of the flush-mounted magazine.
- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver-style and .22 tip-off scope mounts included.
- Cold hammer-forged barrel is locked into the receiver by a unique, two-screw, V-block system.
- Heat-stabilized, glass-filled, polymer trigger housing assembly is precision made of high-tech material for improved manufacturing tolerances, impact and abrasion-resistance and an unmatched ability to withstand the elements.



The **Ruger® 10/22®** is America’s favorite .22 LR rifle, with proven performance in a wide range of styles for every rimfire application. Ideally suited for informal target shooting, plinking, small game hunting and action-shooting events, Ruger has sold millions of 10/22® rifles since their introduction in 1964.



Patented, Detachable
10-Round Rotary Magazine



Easy-to-Use Prominent Magazine Release



Combination Scope Base Adapter Included



Positive, Push-Button, Cross-Bolt Manual Safety

10/22®



10/22® CARBINE



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
1103	22 LR	10	Alloy Steel/ Satin Black	Hardwood	Gold Bead Front, Adjustable Rear	18.50"	37"	5 lbs.	13.50"	1:16"

10/22® CARBINE with Black Synthetic Stock



Model Number	Caliber	Capacity	COMPARE	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
			Material/ Finish							
1151	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50"	37"	5 lbs.	13.50"	1:16"
1256	22 LR	10	Stainless Steel/ Clear Satin	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50"	37"	5 lbs.	13.50"	1:16"

10/22® SPORTER



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
1102	22 LR	10	Alloy Steel/ Satin Black	American Walnut	Gold Bead Front, Adjustable Rear	18.50"	37"	5.7 lbs.	13.88"	1:16"

10/22® COMPACT



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
1168	22 LR	10	Alloy Steel/ Satin Black	Hardwood	Fiber Optic Front, Adjustable Rear	16.12"	34"	4.5 lbs.	12.75"	1:16"

10/22® TACTICAL



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
1261	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None	16.12"	36.25"	4.3 lbs.	13.50"	1:16"

10/22® TARGET



Model Number	Caliber	Capacity	COMPARE	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
			Material/ Finish							
1121	22 LR	10	Alloy Steel/ Satin Black	Brown Laminate	None	20"	38.50"	7.5 lbs.	13.75"	1:16"
1262	22 LR	10	Stainless Steel/ Clear Satin	Black Laminate	None	20"	38.50"	7.5 lbs.	13.75"	1:16"

10/22 TAKEDOWN®




10/22 Takedown® with Target Barrel
(Model 21133)

★ NEW 10/22 Takedown® Lite
(Model 21152)

FEATURES

- Easy takedown enables quick separation of the barrel from the action for ease of transport and storage. Takedown is as simple as locking the bolt back and verifying that the rifle is unloaded, pushing a recessed lever, twisting the subassemblies and pulling them apart.
- Simple reassembly allows for a secure connection of the barrel and action and returns the firearm to zero, even when receiver-mounted optics are used, ensuring consistent accuracy, shot after shot.
- Patented, detachable 10-round rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- This legendary action is a tried and true Ruger design that ensures consistent, reliable performance.
- Easy-to-use prominent magazine release provides smooth, no-fuss removal of the flush-mounted magazine.
- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver-style and .22 tip-off scope mounts included.
- Heat-stabilized, glass-filled, polymer trigger housing assembly is precision-made of high-tech material for improved manufacturing tolerances, impact and abrasion-resistance and unmatched ability to withstand the elements.
- Precision-rifled, cold hammer-forged barrel.
- Model 21133 features the Ruger® Modular Stock System with a low comb, standard length of pull and a threaded, fluted target barrel (ships with an additional high comb, standard length of pull stock module).
- Model 21152 features the Ruger® Modular Stock System with a low comb, standard length of pull and an alloy steel barrel tensioned in an aluminum sleeve (ships with an additional high comb, standard length of pull stock module).
- Also includes: convenient carry-case, which provides ample storage for magazines and accessories.

The **Ruger® 10/22 Takedown®** combines all of the features and functionality of the 10/22® rifle with the ability to easily separate the barrel and action for convenient storage and transport. The simple reassembly of the barrel and action yields a rock-solid return to zero for consistent, reliable performance. Packed in a convenient carry-case (included), the Ruger® 10/22 Takedown® makes it easy to keep America's favorite rimfire rifle by your side.




Recessed Locking Lever



Patented, Detachable
10-Round Rotary Magazine



Positive, Push-Button,
Cross-Bolt Manual Safety



Easy Takedown Enables Quick and Easy Separation of the Barrel from the Action



Prominent Magazine Release

10/22 TAKEDOWN®

10/22 TAKEDOWN®



Model 11100 Shown



Gold Bead Front and Adjustable Rear Sights



Clear Matte or Satin Black Finish

		COMPARE											
Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length*	Weight	Length of Pull	Twist	
11100	22 LR	10	Stainless Steel/ Clear Matte	Black Synthetic	Gold Bead Front, Adjustable Rear	Standard	—	18.50"	37"	4.6 lbs.	13.87"	1:16"	
11112	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear	Threaded with Flash Suppressor	1/2" -28	16.62"	36.75"	4.6 lbs.	13.87"	1:16"	

10/22 TAKEDOWN® with Fluted Target Barrel



Ruger® Modular Stock System with Low Comb, Standard Length of Pull (Ships with Additional High Comb, Standard Length of Pull Module)



.920" Diameter Target Barrel Fluted for Weight Reduction

Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length*	Weight	Length of Pull	Twist
21133	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None	Threaded, Fluted Target	1/2" -28	16.12"	34.62"	5.3 lbs.	13.87"	1:16"

10/22 TAKEDOWN® LITE



★ **NEW**



Ruger® Modular Stock System with Low Comb, Standard Length of Pull (Ships with Additional High Comb, Standard Length of Pull Module)



Alloy Steel Barrel Mated with a 6061-T6 Aluminum Alloy, Ventilated Sleeve

Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length*	Weight	Length of Pull	Twist
NEW 21152	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None	Tensioned in Aluminum Sleeve, Threaded	1/2" -28	16.12"	34.62"	4.5 lbs.	13.87"	1:16"

* When separated, the length of the barrel and forend portion of the rifle is 18.50" and the length of the action and buttstock portion is 20".




RUGER.COM/1022TAKEDOWN

THE RUGER® BX-TRIGGER™



FITS ANY RUGER® 10/22® RIFLE OR 22 CHARGER™ PISTOL

Rugged, reliable and safe (meets or exceeds industry standards for drop testing), the Ruger® BX-Trigger™ is a Genuine Ruger® Factory Accessory that comes in a completely self-contained module and is easy to install. This trigger has a light, crisp 2.5-3 pound trigger pull weight with minimal overtravel and a positive reset.



Do not dry fire unless the hammer block is installed or the trigger is installed in a Ruger® 10/22® rifle or 22 Charger™ pistol. See instructions or visit [Ruger.com/BX-Trigger](https://www.ruger.com/BX-Trigger).

LEARN MORE AT [RUGER.COM/BX-TRIGGER](https://www.ruger.com/BX-Trigger)

© 2017 Sturm, Ruger & Co., Inc. 123016

Find Ruger:





SR-22® (Model 11134)

FEATURES


- The legendary 10/22® action is a tried and true Ruger design and ensures consistent, reliable performance.
- Patented, detachable 10-round rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- .22 LR chambering allows shooters to inexpensively train or just have fun.
- AR-style ergonomics with industry-leading Hogue® Monogrip® and six-position, telescoping buttstock on a Mil-Spec diameter tube.
- Picatinny rail optic mount allows a variety of sight or scope options.
- Ruger® Rapid Deploy Sights provide a windage-adjustable rear sight and an elevation-adjustable front sight. These lightweight sights can be folded to make room for optics, but can be instantly redeployed as needed.
- Round, mid-length handguard is mounted on a standard-thread, AR-style barrel nut.
- Barrel support block, installed in the handguard, ensures accuracy and allows the standard V-block barrel attachment system to be used.
- Precision-rifled, cold hammer-forged alloy steel barrel includes a factory-installed Ruger® flash suppressor with a 1/2"-28 thread pattern.
- 1:16" twist rate to best stabilize most standard and high-velocity .22 LR ammunition.
- Model 1236 features a fixed stock and a target crown barrel and lacks a flash suppressor.



The **Ruger® SR-22®** rifle is an autoloading rimfire rifle that combines the legendary reliability of the Ruger® 10/22® with the ergonomics and configurability of the Ruger® SR-556®.

SR-22®

Model Number	Caliber	Capacity	Finish	COMPARE		Barrel Length	Overall Length	Height	Width	Weight	Length of Pull	Twist
				Stock	Barrel Feature							
11134	22 LR	10	Matte Black	Black Synthetic, Collapsible	Flash Suppressor	16.12"	33"- 36"	7"	2"	6.9 lbs.	10"- 13"	1:16"
1236	22 LR	10	Matte Black	Black Synthetic, Fixed	Target Crown	16.12"	34.38"	7"	2"	6.5 lbs.	13"	1:16"




Picatinny Rail Optic Mount



AR-Style Ergonomics



Ruger® Rapid Deploy Sights



Round, Mid-Length Handguard



Patented, Detachable 10-Round Rotary Magazine

AR-556®



AR-556® (Model 8500*)

MSR

FIND THE PERFECT MODERN SPORTING RIFLE FOR YOU AT
RUGER.COM/MSRCOMPARISON

The **Ruger® AR-556®** is a semi-automatic, M4-style, direct impingement Modern Sporting Rifle that offers consumers an affordable, American-made rifle with the rugged reliability they have come to expect from Ruger. Extensively tested during its development, the AR-556® is constructed from top-quality components,including forged 7075-T6 aluminum upper and lower receivers and a cold hammer-forged, chrome-moly steel barrel with M4 feed ramp cuts. Chambered in 5.56 NATO, the AR-556's carbine-length, flattop, M4 design is fully configured with a Ruger® Rapid Deploy folding rear sight, milled F-height gas block with post front sight, forward assist, dust cover, brass deflector, telescoping six-position or fixed stock, improved trigger-reach grip and enlarged trigger guard. Standardized M4/AR components are utilized throughout, so the AR-556® can be customized easily.

AR-556®

Model Number	Caliber	COMPARE		Stock	Barrel Length	Overall Length	Height**	Width	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
		Capacity											
8500*	5.56 NATO/ 223 Rem	30		Black Synthetic, Collapsible	16.10"	32.25"-35.50"	8"	2.50"	6.5 lbs.	10.25" - 13.50"	1/2"-28	1:8"	\$799.00
8502*	5.56 NATO/ 223 Rem	10		Black Synthetic, Fixed	16.10"	34.40"	8"	2.50"	7.1 lbs.	13.50"	—	1:8"	\$799.00
NEW 8511*	5.56 NATO/ 223 Rem	10		Black Synthetic, Collapsible	16.10"	32.25"-35.50"	8"	2.50"	6.7 lbs.	10.25" - 13.50"	1/2"-28	1:8"	\$799.00

AR-LOWER RECEIVERS

Model Number	Material	Finish	Hammer/ Trigger Pins	Takedown/ Pivot Pins	COMPARE		Grip	Trigger	Overall Length	Length of Pull	Width	Height	Suggested Retail
					Weight	Stock							
NEW 8506	7075 Forged Aluminum	Hardcoat Anodized	0.154"	0.250"	8.8 oz.	—	—	—	7.75"	—	1.50"	4"	\$129.00
NEW 8516 Elite	7075 Forged Aluminum	Hardcoat Anodized	0.154"	0.250"	2.2 lbs.	Magpul® MOE® SL	Magpul® MOE®	Elite 452™ AR-Trigger	15.63"-19"	11.10"-14.40"	1.75"	6.75"	\$299.00

FEATURES

- Ruger® Rapid Deploy folding rear sight provides windage adjustability, and pairs with the elevation-adjustable front sight for a solid, reliable aiming system. The A2-style F-height allows co-witness with many optics. The rear sight can be folded out of the way to make room for optics, but can be instantly redeployed if needed.
- Six-position telescoping M4-style buttstock and Mil-Spec buffer tube allow the rifle to be properly sized for different shooters, or varying levels of outerwear or defensive gear.
- Made from an aerospace-grade 7075-T6 aluminum forging, the flattop upper receiver includes a forward assist, dust cover and brass deflector, and is Type III hard coat anodized for maximum durability.
- Bolt is machined from 9310 alloy steel and is shot peened and pressure (proof) tested to ensure strength, structural integrity and durability.
- Patented Barrel Nut and Delta Ring are designed for one-person handguard removal and installation. The design accepts most standard carbine-length handguards. The barrel nut uses a standard wrench and can be swapped with a Mil-Spec barrel nut if desired.
- Gas block is located at a carbine-length (M4) position for improved balance and handling. Multiple attachment points include a QD socket and bayonet lug for many sling and accessory mounting options. Serrations on the angled face of the gas block provide a low-glare surface.
- Single-stage trigger provides durable and reliable fire control. The enlarged trigger guard is designed to allow gloved shooting.
- Cold hammer-forged barrel with ultra-precise rifling provides exceptional accuracy, longevity and easy cleaning. The 1:8" twist rate stabilizes bullets from 35 to 77 grains, and the 5.56 NATO chamber allows the use of both 5.56 NATO and .223 Rem. ammunition. M4 feed ramps provide improved operational reliability, and the matte black oxide finish reduces glare and provides corrosion resistance. Includes a factory-installed Ruger® flash suppressor with 1/2"-28 thread pattern.
- Ergonomic pistol grip features an extended trigger reach for more precise trigger control.
- Chrome-plated bolt carrier inside diameter and chrome-plated gas key inside diameter provide exceptional resistance to hot gases. The gas key is staked so that it will not loosen after extensive firing. A matte black oxide finish on the exterior of the bolt carrier provides corrosion resistance.
- Handguard is made from heat-resistant glass-filled nylon for shooting comfort and durability.
- Model 8500 includes: one, 30-round Magpul® PMAG®.
- Model 8502 is offered with a fixed stock, heavy-contour barrel and no bayonet lug or flash suppressor, and ships with one, 10-round metal magazine.
- Model 8511 features a heavy-contour barrel and ships with one, 10-round metal magazine.



Post Front Sight and Ruger® Rapid Deploy Folding Rear Sight



16.10" Cold Hammer-Forged Barrel with Ruger® Flash Suppressor (Excludes Model 8502)



Ergonomic Pistol Grip Features an Extended Trigger Reach for More Precise Trigger Control



Flattop Upper Receiver Features a Forward Assist, Dust Cover and Brass Deflector



AR-Lower and AR-Lower Elite Receivers Now Available for Purchase Separately

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

** Without magazine.

SR-556® TAKEDOWN



SR-556® Takedown
(Model 5924)

FEATURES

- Takedown barrel is removed from the upper receiver by moving the slider bar towards the breech, rotating the barrel and pulling it free (no tools required). For installation, slide the barrel into the upper and twist until it locks. The takedown mechanism provides a repeatable point of impact.
- For a larger cartridge, replaceable barrel kits chambered in .300 AAC Blackout are available on ShopRuger.com. This range-ready barrel is easily installed by sliding the barrel into the upper and twisting. The kit comes complete with a metal flip-up elevation- and windage-adjustable front sight and two, 30-round metal magazines marked with "300 AAC BLACKOUT" to ensure easy differentiation.
- Patented chrome-plated, two-stage piston with multi-stage regulator provides a cleaner, cooler running, reliable firearm with superior operating endurance. The two-stage piston provides a smooth power stroke to the bolt carrier.
- The Ruger® Elite 452™ AR-Trigger is a two-stage trigger that offers a smooth, crisp, 4.5 pound trigger pull. It features a full-strength hammer spring for consistent primer ignition and a lightweight hammer that enables a 30% faster lock time over standard MSR triggers.
- Features front and rear folding iron sights. The front sight is both elevation- and windage-adjustable, allowing the zero to stay with the barrel when you swap it out.
- Lower receiver is fitted with the Magpul® MOE® grip and MOE SL™ collapsible buttstock on the mil-spec buffer tube.
- Precision-rifled, chrome-lined, cold hammer-forged Mil-Spec 41V45 chrome-moly-vanadium steel barrel ensures accuracy and longevity.
- Includes a factory-installed Ruger® flash suppressor with a 1/2"-28 thread pattern.
- Slim, lightweight KeyMod™ handguard for reduced overall weight.
- Also includes: convenient carry-case; lock; three, 30-round Magpul® PMAG® magazines.



The **Ruger® SR-556® Takedown** autoloading rifle is an innovative twist on an already innovative rifle. Compact and easy to maintain, the SR-556®

Takedown sets a new standard for the modern sporting rifle. Like the popular 10/22 Takedown®, the SR-556® Takedown was designed with ease of use in mind. The barrel is removed from the upper receiver by simply moving the slider bar towards the breech, rotating the barrel and pulling it free – no tools required. Installation is simpler yet – just slide the barrel into the upper and twist until it locks.

FIND THE PERFECT MODERN SPORTING RIFLE FOR YOU AT
RUGER.COM/MSRCOMPARISON

SR-556® TAKEDOWN

Model Number	Caliber	Capacity	Stock	Barrel Length	Overall Length	Height*	Width	Weight	Length of Pull	Thread Pattern	Twist
5924	5.56 NATO/ 223 Rem	30	Black Synthetic, Collapsible	16.12"	32.75"- 36"	7.75"	2.50"	7.1 lbs.	11.10"- 14.40"	1/2"-28	1:8"



Barrel is Installed with a Simple Twist and Easily Removed with No Tools Required



Disassembled Rifle Pieces Pack Easily into Convenient Carry-Case



Patented, Chrome-Plated, Two-Stage Piston Driven Operating System



Slim, Lightweight KeyMod™ Handguard



.300 AAC Blackout Barrel Kit Available at ShopRuger.com

* Without magazine, with sights folded.



SR-762™ (Model 5601)

The **Ruger® SR-762™** brings the downrange authority of the .308 cartridge to the Ruger’s popular family of two-stage, piston-driven, modern sporting rifles. The SR-762™ is a lightweight, quick-handling carbine that is ideal for those who appreciate the familiar and ergonomic AR-style platform. The .308 Win./7.62 NATO cartridge is perfect for hunting medium and most large-sized game and enhances the capability of the AR-style platform in defensive or tactical roles. The SR-762™ retains the features of the original SR-556® that make it a solid performer among modern sporting rifles.

FIND THE PERFECT MODERN SPORTING RIFLE FOR YOU AT
RUGER.COM/MSRCOMPARISON

FEATURES

- Patented, chrome-plated, two-stage piston with multi-stage regulator provides a cleaner, cooler running, reliable firearm with superior operating endurance. The two-stage piston delivers a smooth power stroke to bolt carrier.
- The four-position chrome-plated gas regulator can be adjusted for optimum reliability and superior operating endurance. The gas system may be closed completely for manual operation during training or when using a suppressor.
- Folding backup iron sights include a windage-adjustable rear sight and an elevation-adjustable front sight. These sights provide a solid, reliable aiming system that can be folded out of the way to make room for optics and can be instantly redeployed if needed.
- Precision-rifled, chrome-lined, cold hammer-forged Mil-Spec 41V45 chrome-moly-vanadium steel barrel ensures accuracy and longevity.
- The Ruger® Elite 452™ AR-Trigger is a two-stage trigger that offers a smooth, crisp, 4.5 pound trigger pull. It features a full-strength hammer spring for consistent primer ignition and a lightweight hammer that enables a 30% faster lock time over standard MSR triggers.
- Fluted barrel, for reduced weight and improved barrel cooling, features a factory-installed Ruger® flash suppressor with a 5/8"-24 thread pattern.
- Round, smooth-sided Ruger® lightweight adaptable handguard with flattop receiver features a Mil-Spec 1913 Picatinny rail at 12:00 position that extends the full length of the handguard. Drilled and tapped for additional rails at the 3:00, 6:00 and 9:00 positions (two additional rail sections included), providing ample space for mounting sights, lights, lasers or other accessories.
- Lower receiver is fitted with the Magpul® MOE® grip and MOE SL™ collapsible buttstock on the mil-spec buffer tube.
- Chrome-plated bolt and chrome-plated one-piece bolt carrier with oversized and radiused rear bearing surface.
- Also includes: three, 20-round Magpul® PMAG® magazines; soft-sided case; three finger-grooved rail covers.



SR-762™

Model Number	Caliber	Capacity	Stock	Overall Finish	Barrel Length	Overall Length	Height*	Width	Weight †	Length of Pull	Thread Pattern	Twist
5601	.308 Win./7.62 NATO	20	Black Synthetic, Collapsible	Matte Black	16.12"	34.75"-38"	8"	2.50"	8.6 lbs.	11.50"-14.75"	5/8"-24	1:10"



Folding Backup Iron Sights



Round, Smooth-Sided Ruger® Lightweight Adaptable Handguard with Flattop Receiver



Magpul® MOE® Grip



Chrome-Plated, Two-Stage Piston with Multi-Stage Regulator



Three, 20-Round Magpul® PMAG® Magazines; Soft-Sided Case; Three Finger-Grooved Rail Covers

* Without magazine, with sights folded. † Without magazine.

MINI-14® AND MINI THIRTY®



Mini-14® Ranch Rifle
with Hardwood Stock
(Model 5802)

Mini-14® Tactical Rifle
in .300 AAC Blackout
(Model 5864)

FEATURES

- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Simple, rugged Garand-style action with breech bolt locking system, a fixed-piston gas system and self-cleaning moving gas cylinder gives unparalleled reliability under harsh operating conditions.
- Patented integral scope mounts, machined directly on the solid steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Accurate sighting system with a ghost ring adjustable rear aperture sight and a non-glare, protected blade front sight.
- Receiver is drilled and tapped for mounting the included Picatinny rail.
- Also includes: two magazines; Picatinny rail; scope rings.



For decades, **Ruger® Mini-14®** and **Mini Thirty®** rifles have been the choice for applications ranging from the farm and ranch to the deep woods or personal defense. Their short barrels and overall length make them favorites in any application where reliability, maneuverability and ease of handling are priorities.



Simple, Rugged Garand-Style Action



Ghost Ring Adjustable Rear Aperture Sight and
Non-Glare, Protected Blade Front Sight



Patented Integral Scope Mounts



Cold Hammer-Forged Barrel

MINI-14® AND MINI THIRTY®

MINI-14® TACTICAL RIFLE



Model Number	COMPARE		Material/Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist
	Caliber	Capacity									
5847	5.56 NATO/223 Rem	20	Alloy Steel/Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	1/2"-28	6.7 lbs.	13"	1:9"
5848	5.56 NATO/223 Rem	5	Alloy Steel/Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	1/2"-28	6.7 lbs.	13"	1:9"
5819	5.56 NATO/223 Rem	20	Stainless Steel/Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	1/2"-28	6.7 lbs.	13"	1:9"
5864	300 BLK	20	Alloy Steel/Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.25"	5/8"-24	6.7 lbs.	13"	1:7"

MINI-14® TACTICAL RIFLE with Collapsible Folding Stock



Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist
5846	5.56 NATO/223 Rem	20	Alloy Steel/Blued	Black Synthetic, Collapsible/Folding	Blade Front, Adjustable Rear	16.12"	34"-37.75"	1/2"-28	7.2 lbs.	11.88"-15.62"	1:9"

MINI-14® RANCH RIFLE with Hardwood Stock



Model Number	Caliber	COMPARE		Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
		Capacity	Material/Finish							
5816	5.56 NATO/223 Rem	20	Alloy Steel/Blued	Hardwood	Blade Front, Adjustable Rear	18.50"	38"	7 lbs.	13.50"	1:9"
5801	5.56 NATO/223 Rem	5	Alloy Steel/Blued	Hardwood	Blade Front, Adjustable Rear	18.50"	38"	7 lbs.	13.50"	1:9"
5802	5.56 NATO/223 Rem	5	Stainless Steel/Matte Stainless	Hardwood	Blade Front, Adjustable Rear	18.50"	38"	7 lbs.	13.50"	1:9"

SPECIAL ORDER MODEL: See page 24 for details.



MINI-14® RANCH RIFLE with Black Synthetic Stock



Model Number	Caliber	COMPARE		Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
		Capacity	Material/Finish							
5805	5.56 NATO/223 Rem	5	Stainless Steel/Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.7 lbs.	13"	1:9"
5817	5.56 NATO/223 Rem	20	Stainless Steel/Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.7 lbs.	13"	1:9"
5855	5.56 NATO/223 Rem	5	Alloy Steel/Blued	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.7 lbs.	13"	1:9"
5820 Special Order	5.56 NATO/223 Rem	20	Stainless Steel/Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	16.12"	34.75"	6.6 lbs.	13"	1:9"

MINI THIRTY®



Model Number	Caliber	COMPARE		Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
		Capacity	Material/Finish							
5853	7.62x39	20	Stainless Steel/Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.7 lbs.	13"	1:10"
5806	7.62x39	5	Stainless Steel/Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.7 lbs.	13"	1:10"
5804	7.62x39	5	Stainless Steel/Matte Stainless	Hardwood	Blade Front, Adjustable Rear	18.50"	37.50"	7 lbs.	13"	1:10"

MINI THIRTY® TACTICAL RIFLE



Model Number	Caliber	Capacity	COMPARE		Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist
			Material/Finish									
5854	7.62x39	20	Alloy Steel/Blued		Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	5/8"-24	6.7 lbs.	13"	1:10"
NEW 5868	7.62x39	20	Stainless Steel/Matte Stainless		Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	5/8"-24	6.7 lbs.	13"	1:10"

RUGER PRECISION RIFLE®



Optics Not Included

★ NEW Ruger Precision Rifle® in 5.56 NATO/.223 Rem. (Model 18019*)

RUGER PRECISION RIFLE®

Purpose-built to distance itself from the typical long-range rifle, the **Ruger Precision Rifle®** is a highly configurable, in-line recoil path, bolt-action rifle. Available in .308 Win., 6.5 Creedmoor, 6mm Creedmoor and 5.56 NATO/.223 Rem., the Ruger Precision Rifle® offers outstanding accuracy and long-range capability.

RUGER PRECISION RIFLE®

	COMPARE									
	Model Number	Caliber	Capacity	Barrel Length	Folded Length	Overall Length	Height	Width	Weight	Twist
NEW	18004	308 Win	10*	20"	31.60"	39.25" - 42.75"	7.30"	3.30"	9.8 lbs.	1:10"
NEW	18008	6.5 Creedmoor	10*	24"	35.60"	43.25" - 46.75"	7.30"	3.30"	10.7 lbs.	1:8"
NEW	18014	308 Win	10**	20"	31.60"	39.25" - 42.75"	7.30"	3.30"	9.8 lbs.	1:10"
NEW	18015	6.5 Creedmoor	10**	24"	35.60"	43.25" - 46.75"	7.30"	3.30"	10.7 lbs.	1:8"
NEW	18016	6mm Creedmoor	10*	24"	35.60"	43.25" - 46.75"	7.30"	3.30"	10.8 lbs.	1:7.7"
NEW	18019	5.56 NATO/.223 Rem	10*	20"	31.60"	39.25" - 42.75"	7.30"	3.30"	9.8 lbs.	1:7"

FEATURES

- Medium-contour (.75" at the muzzle) barrel features a Ruger Precision Rifle® Hybrid Muzzle Brake to effectively reduce recoil while minimizing noise and blast to the sides of the shooter (thread protector included).
- Cold hammer-forged 4140 chrome-moly steel barrel with 5R Rifling at minimum bore and groove dimensions, minimum headspace and centralized chamber.
- Equipped with a Ruger Precision Rifle® Short-Action Handguard for improved scope clearance for long-range scopes.
- 20 MOA Picatinny rail secured with four, #8-40 screws for increased long-range elevation capabilities.
- "Upper" receiver and one-piece bolt are precision CNC-machined from pre-hardened 4140 chrome-moly steel to minimize distortion.
- Three-lug bolt with 70° throw features dual cocking cams and a smooth-running, full diameter bolt body.
- In-line recoil path manages recoil directly from the rear of the receiver to the buttstock, not through a traditional bedding system, providing maximum accuracy potential.
- Ruger® Precision MSR stock with QD sling attachment points features a bottom Picatinny rail and soft rubber buttpad. The left-folding stock hinge is attached to an AR-style buffer tube and accepts any AR-style stock. Length of pull and comb height are adjustable.
- Barrels can be replaced easily by a competent gunsmith using AR-style wrenches and headspace gauges.
- Magazine well front is contoured for a positive grip when bracing against shooting supports.
- Oversized bolt handle for positive bolt manipulation, with a 5/16"-24 thread pattern for easy replacement. Bolt disassembly tool is stored in the Ruger Precision Rifle® Billet Aluminum Bolt Shroud for easy striker channel cleaning.
- "Lower" magazine well halves are precision machined from aerospace-grade 7075-T6 aluminum and are Type III hard coat anodized for maximum durability.
- Patented multi-magazine interface functions interchangeably with AICS and M110/SR-25/DPMS/Magpul-style magazines (works with some M14 magazines).
- Ruger Marksman Adjustable™ trigger is externally adjustable with a pull weight range of 2.25 to 5 pounds; wrench is stored in the bolt shroud.
- Extended trigger-reach AR-style grip and 45° reversible safety selector. May be configured with any AR-style grip and selector.
- Model 18019 features a 5.56 NATO "Target" chamber that safely accommodates 5.56 NATO cartridges while providing maximum projectile control and accuracy for .223 Rem. cartridges as well. Ships with two, 10-round, short-action AI-Style Precision Rifle magazines compatible with longer, higher ballistic coefficient projectiles.
- Also includes: two, 10-round Magpul® PMAG® magazines.



Patented Multi-Magazine Interface Functions Interchangeably with AICS and M110/SR-25/DPMS/Magpul-Style Magazines

Equipped with a Ruger Precision Rifle® Short-Action Handguard

In-line Recoil Path Provides Maximum Accuracy Potential

Highly Accurate Cold Hammer-Forged 4140 Chrome-Moly Steel Barrel

Ruger® Precision MSR Stock with QD Sling Attachment Points Features a Bottom Picatinny Rail and Soft Rubber Buttstock

* Ships with two, 10-round Magpul® PMAG® magazines.
** Ships with two, 10-round AI-Style magazines.

RUGER AMERICAN RIFLE®



★ **NEW** Ruger American Rifle® Ranch
in .450 Bushmaster
(Model 16950)

★ **NEW** Ruger American Rifle® Predator
in 6mm Creedmoor
(Model 16948)

RUGER
AMERICAN
RIFLE®

The 100% American-made **Ruger American Rifle®** is another engineering innovation from America’s leading firearms manufacturer. The Ruger American Rifle® combines Ruger’s famous rugged reliability with the award-winning ingenuity featured in so many of Ruger’s new products.

FEATURES

- Ruger Marksman Adjustable™ trigger offers a crisp release with a pull weight that is user adjustable between three and five pounds, allowing shooters to make that perfect shot.
- Ergonomic, lightweight synthetic stock designed for quick, easy handling blends a classic look with modern forend contouring and grip serrations.
- Soft rubber buttpad is crafted for maximum recoil reduction.
- The one-piece, three-lug bolt with 70° throw provides ample scope clearance and utilizes a full diameter bolt body and dual cocking cams for smooth, easy cycling from the shoulder.
- Patented Power Bedding®, integral bedding block system positively locates the receiver and free-floats the barrel for outstanding accuracy.
- Offers minute-of-angle accuracy that can make every hunt a success.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- The visible, accessible and easy-to-actuate tang safety provides instant security.
- Offers a reliable rotary magazine that fits flush with the stock and offers the smooth feed that has become the hallmark of Ruger® rotary magazines (excludes Magnum models).
- Also includes: magazine; sling swivel studs.



Power Bedding® Integral Bedding Blocks for Outstanding Accuracy



Ruger Marksman Adjustable™ Trigger Provides a Crisp Release with a User-Adjustable 3-5 lb. Trigger Pull



Visible, Accessible and Easy-to-Actuate Tang Safety



Flush-Fit Rotary Magazine (Excludes Magnum Models)



Ergonomic, Lightweight Stock



One-Piece, Three-Lug Bolt with 70° Throw Provides Ample Scope Clearance

RUGER AMERICAN RIFLE®

RUGER AMERICAN RIFLE®



Model 6901 Shown

Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
6905 Special Order	22-250 Rem	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:10"
6913 Special Order	223 Rem	5	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:8"
6904	243 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.2 lbs.	13.75"	1:9"
6902	270 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6906	7mm-08 Rem	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:9.5"
6901	30-06 Sprg	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6903	308 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.1 lbs.	13.75"	1:10"
6919 LH - Special Order	22-250 Rem	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:10"
6920 LH - Special Order	7mm-08 Rem	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:9.5"
6921 LH - Special Order	223 Rem	5	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:8"
6918 LH	243 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.2 lbs.	13.75"	1:9"
6916 LH	270 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6915 LH	30-06 Sprg	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6917 LH	308 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	22"	42"	6.1 lbs.	13.75"	1:10"

RUGER AMERICAN RIFLE® COMPACT



Model 6908 Shown

Compact models feature a shorter length of pull (for smaller shooters or those wearing heavier outerwear) and a shorter barrel, for a reduction in overall length of more than five inches.

Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
6946 Special Order	22-250 Rem	4	Alloy Steel/ Matte Black	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:10"
6914	223 Rem	5	Alloy Steel/ Matte Black	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:8"
6908	243 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:9"
6909	7mm-08 Rem	4	Alloy Steel/ Matte Black	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:9.5"
6907	308 Win	4	Alloy Steel/ Matte Black	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:10"

LH: Left-Handed.
SPECIAL ORDER MODEL: See page 24 for details.



RUGER AMERICAN RIFLE® ALL-WEATHER®



Model 6922 Shown

Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
6926 Special Order	22-250 Rem	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:10"
6928 Special Order	223 Rem	5	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:8"
6925	243 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.2 lbs.	13.75"	1:9"
6923	270 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6927 Special Order	7mm-08 Rem	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:9.5"
6922	30-06 Sprg	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6924	308 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.1 lbs.	13.75"	1:10"
6933 LH - Special Order	22-250 Rem	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:10"
6935 LH - Special Order	223 Rem	5	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:8"
6932 LH - Special Order	243 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.2 lbs.	13.75"	1:9"
6930 LH - Special Order	270 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6934 LH - Special Order	7mm-08 Rem	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.3 lbs.	13.75"	1:9.5"
6929 LH - Special Order	30-06 Sprg	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42.50"	6.2 lbs.	13.75"	1:10"
6931 LH - Special Order	308 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	22"	42"	6.1 lbs.	13.75"	1:10"

RUGER AMERICAN RIFLE®

RUGER AMERICAN RIFLE® ALL-WEATHER® COMPACT



Model 6937 Shown

Compact models feature a shorter length of pull (for smaller shooters or those wearing heavier outerwear) and a shorter barrel, for a reduction in overall length of more than five inches.

Receiver is Drilled and Tapped for Mounting Included Scope Bases

Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
6947 Special Order	22-250 Rem	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:10"
6939 Special Order	223 Rem	5	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:8"
6937 Special Order	243 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:9"
6938 Special Order	7mm-08 Rem	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:9.5"
6936 Special Order	308 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:10"
6941 LH - Special Order	243 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:9"
6942 LH - Special Order	7mm-08 Rem	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:9.5"
6940 LH - Special Order	308 Win	4	Stainless Steel/ Matte Stainless	Black Synthetic	None	18"	36.75"	6 lbs.	12.50"	1:10"

RUGER AMERICAN RIFLE® with Vortex® Crossfire II® Riflescope



Model 16933 Shown

SCOPE SPECIFICATIONS		
Reticle:	Dead-Hold BDC	Adjustment Markings: 1/4 MOA Finger Click Adjustments
Item Number:	CF2-31007	
Construction Features:	Waterproof, Fogproof, Shockproof	Magnification: 3-9x
		Linear Field of View (ft @ 100yd): 34.1 - 12.6
		Objective Lens Diameter: 40mm
		Maintube Diameter: 1"
		Material: Aircraft Grade Aluminum

Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
16931	243 Win	4	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22"	42"	7.2 lbs.	13.75"	1:9"
16932	270 Win	4	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22"	42.50"	7.1 lbs.	13.75"	1:10"
16933	30-06 Sprg	4	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22"	42.50"	7.1 lbs.	13.75"	1:10"
16934	308 Win	4	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22"	42"	7 lbs.	13.75"	1:10"

LH: Left-Handed.
SPECIAL ORDER MODEL: See page 24 for details.



THE RUGER® No.1 RIFLE

WHEN YOU ONLY HAVE ONE SHOT,
MAKE IT COUNT.

When you think of single-shot rifles, think of the best – think Ruger® No.1. The No.1 rifle is made for virtually every sporting activity. Find the configuration that is best for you, or collect them all.

VISIT **RUGER.COM/NO1**
FOR A LISTING OF OUR 2017 CALIBER OFFERINGS

© 2017 Sturm, Ruger & Co., Inc. 010517

Find Ruger:



RUGER AMERICAN RIFLE®

RUGER AMERICAN RIFLE® PREDATOR



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist
	Caliber	Capacity									
6971	204 Ruger	5	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22"	42"	1/2"-28	6.6 lbs.	13.75"	1:12"
6945	22-250 Rem	4	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22"	42"	1/2"-28	6.6 lbs.	13.75"	1:10"
6944	223 Rem	5	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22"	42"	1/2"-28	6.6 lbs.	13.75"	1:8"
6972	243 Win	4	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22"	42"	5/8"-24	6.6 lbs.	13.75"	1:9"
6973	6.5 Creedmoor	4	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22"	42"	5/8"-24	6.6 lbs.	13.75"	1:8"
NEW 16948	6mm Creedmoor	4	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22"	42"	5/8"-24	6.6 lbs.	13.75"	1:7.7"
6974	308 Win	4	Alloy Steel/ Matte Black	Moss Green Synthetic	None	18"	38"	5/8"-24	6.2 lbs.	13.75"	1:10"

RUGER AMERICAN RIFLE® PREDATOR with Vortex® Crossfire II® Riflescope



SCOPE SPECIFICATIONS											
Reticle: Dead-Hold BDC			Adjustment Markings: 1/4 MOA Finger Click Adjustments			Magnification: 4-12x					
Construction Features: Waterproof, Fogproof, Shockproof			Maintube Diameter: 1"			Linear Field of View (ft @ 100yd): 24.7 - 8.4					
			Material: Aircraft-Grade Aluminum			Objective Lens Diameter: 44 mm					

Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist
	Caliber	Capacity									
NEW 16951	223 Rem	5	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22"	42"	1/2"-28	7.6 lbs.	13.75"	1:8"
NEW 16952	204 Ruger	5	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22"	42"	1/2"-28	7.6 lbs.	13.75"	1:12"
NEW 16953	6.5 Creedmoor	4	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22"	42"	5/8"-24	7.6 lbs.	13.75"	1:8"
NEW 16954	308 Win	4	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	18"	38"	5/8"-24	7.2 lbs.	13.75"	1:10"



RUGER AMERICAN RIFLE® RANCH



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist
	Caliber	Capacity									
6965	5.56 NATO/ 223 Rem	5	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12"	36"	1/2"-28	6.1 lbs.	13.75"	1:8"
6968	300 BLK	5	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12"	36"	5/8"-24	5.9 lbs.	13.75"	1:7"
NEW 16950	450 Bushmaster	3	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12"	36"	11/16"-24	5.6 lbs.	13.75"	1:16"

RUGER AMERICAN RIFLE® MAGNUM



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist
	Caliber	Capacity									
16911	7mm Rem Mag	3	Stainless Steel/ Matte Stainless	Black Synthetic	None	24"	44.50"	5/8"-24	7.5 lbs.	13.75"	1:9.5"
16912	300 Win Mag	3	Stainless Steel/ Matte Stainless	Black Synthetic	None	24"	44.50"	5/8"-24	7.5 lbs.	13.75"	1:10"



RUGER AMERICAN RIMFIRE®

The 100% American-made **Ruger American Rimfire®** bolt-action rifle builds on the enormous success of the centerfire Ruger American Rifle®. With many of the standard Ruger American Rifle® features, this line also combines several design innovations from the popular 10/22® rimfire rifle. This combination, along with the rifle's adaptability, will appeal to all bolt-action rifle enthusiasts – young or old, novice or experienced.

FEATURES

- Each Ruger American Rimfire® rifle includes two interchangeable stock modules that provide comb height options for scope or iron sight use (excludes Target and Wood Stock models). Standard models come with long length of pull modules, while compact models come with short length of pull modules. By simply removing the rear sling swivel stud, stock modules can be changed in seconds. All four stock modules are completely interchangeable across all models and are available at ShopRuger.com.
- Models chambered in .22 LR feature the patented, detachable, flush-mounted BX-1, 10-round rotary magazine and accept all 10/22® magazines, including the BX-25®, BX-25®x2 and BX-15®.
- Models chambered in .22 Magnum and .17 HMR use the detachable, flush-mounted JMX-1 9-round rotary magazine.
- Easy-to-use extended magazine release provides smooth, no-fuss removal of the flush-mounted magazine.
- Patented Power Bedding® integral bedding block system positively locates the receiver and free-floats the barrel for outstanding accuracy.
- Ruger Marksman Adjustable™ trigger offers a crisp release with a pull weight that is user adjustable between three and five pounds, allowing shooters to make that perfect shot.
- Features a visible, accessible and easy-to-actuate tang safety that provides instant security.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- A 3/8" rimfire scope base is machined into the receiver, which is also drilled and tapped for Weaver® #12 bases (excludes Target models).
- A 60° bolt provides ample scope clearance and the easy-to-use, receiver-mounted bolt release allows the bolt to be readily removed without requiring a pull of the trigger, a unique safety feature among rimfire, bolt-action rifles.
- Williams™ fiber optic front sight and adjustable, "V" slot, folding-leaf rear sight. (Target models feature a factory-installed one-piece aluminum scope rail).
- Also includes: sling swivel studs.



Power Bedding® Integral Bedding Blocks for Outstanding Accuracy



Includes Two Interchangeable Stock Modules that Provide Comb Height Options for Scope or Iron Sight Use (Excludes Target and Wood Stock Models)



Visible, Accessible and Easy-to-Actuate Tang Safety



Ruger Marksman Adjustable™ Trigger Provides a Crisp Release with a User-Adjustable 3-5 lb. Trigger Pull



Detachable Rotary Magazine Provides Reliable Feeding



Williams™ Fiber Optic Front Sight and Adjustable, "V" Slot, Folding-Leaf Rear Sight

RUGER AMERICAN RIMFIRE®

RUGER AMERICAN RIMFIRE®



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
8311	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	22"	41"	6 lbs.	13.75"	1:9"
8301	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	22"	41"	6 lbs.	13.75"	1:16"
8321	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	22"	41"	6 lbs.	13.75"	1:14"

RUGER AMERICAN RIMFIRE® with Threaded Barrel



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
8312	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	37"	5.5 lbs.	13.75"	1:9"
8305	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	37"	5.5 lbs.	13.75"	1:16"
8322	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	37"	5.5 lbs.	13.75"	1:14"

RUGER AMERICAN RIMFIRE® Compact



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
8313	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	35.75"	5.3 lbs.	12.50"	1:9"
8303	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	35.75"	5.3 lbs.	12.50"	1:16"
8323	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	35.75"	5.3 lbs.	12.50"	1:14"



RUGER AMERICAN RIMFIRE® Compact with Threaded Barrel



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
8314	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	35.75"	5.3 lbs.	12.50"	1:9"
8306	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	35.75"	5.3 lbs.	12.50"	1:16"
8324	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18"	35.75"	5.3 lbs.	12.50"	1:14"

RUGER AMERICAN RIMFIRE® with Wood Stock



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
8329	22 LR	10	Alloy Steel/ Satin Blued	Wood	Williams™ Fiber Optic Front, Adjustable Rear	22"	41"	6.1 lbs.	13.75"	1:16"

RUGER AMERICAN RIMFIRE® TARGET



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
NEW 8350	17 HMR	9	Alloy Steel/ Satin Blued	Black Laminate	None	18"	37"	6.8 lbs.	13.75"	1:9"
NEW 8348	22 LR	10	Alloy Steel/ Satin Blued	Black Laminate	None	18"	37"	6.7 lbs.	13.75"	1:16"
NEW 8349	22 WMR	9	Alloy Steel/ Satin Blued	Black Laminate	None	18"	37"	6.7 lbs.	13.75"	1:14"

GUNSITE SCOUT RIFLE



The **Ruger® Gunsite Scout Rifle** is the one rifle to have if you could only have one. It is the perfect lightweight, hard-hitting, do-it-all bolt-action rifle.

GUNSITE SCOUT RIFLE

Model Number	COMPARE		Material/Finish	Stock	Barrel Feature	Barrel Length	Overall Length	Weight*	Length of Pull	Thread Pattern	Twist
	Caliber	Capacity									
6824	5.56 NATO/223 Rem	10	Alloy Steel/Matte Black	Black Laminate	Flash Suppressor	16.10"	37"- 38.50"	7.1 lbs.	12.75"-14.25"	1/2"-28	1:8"
6825	5.56 NATO/223 Rem	10	Stainless Steel/Matte Stainless	Black Laminate	Flash Suppressor	16.10"	37"- 38.50"	7.1 lbs.	12.75"-14.25"	1/2"-28	1:8"
6828 LH	5.56 NATO/223 Rem	10	Stainless Steel/Matte Stainless	Black Laminate	Flash Suppressor	16.10"	37"- 38.50"	7.1 lbs.	12.75"-14.25"	1/2"-28	1:8"
6803	308 Win	10	Alloy Steel/Matte Black	Black Laminate	Flash Suppressor	16.10"	37"- 38.50"	7.1 lbs.	12.75"-14.25"	5/8"-24	1:10"
6821 LH	308 Win	10	Stainless Steel/Matte Stainless	Black Laminate	Flash Suppressor	18.70"	39.50"- 41"	7.3 lbs.	12.75"-14.25"	5/8"-24	1:10"
6822	308 Win	10	Stainless Steel/Matte Stainless	Black Laminate	Flash Suppressor	18.70"	39.50"- 41"	7.3 lbs.	12.75"-14.25"	5/8"-24	1:10"
6829	308 Win	10	Stainless Steel/Matte Stainless	Black Synthetic	Muzzle Brake	16.10"	37"- 38.50"	6.2 lbs.	12.75"-14.25"	5/8"-24	1:10"
6830	308 Win	10	Alloy Steel/Matte Black	Black Synthetic	Muzzle Brake	16.10"	37"- 38.50"	6.2 lbs.	12.75"-14.25"	5/8"-24	1:10"
NEW 6837	450 Bushmaster	4	Alloy Steel/Matte Black	American Walnut	Ruger Precision Rifle® Hybrid Muzzle Brake	16.10"	37"- 38.50"	6.6 lbs.	12.75"-14.25"	11/16"-24	1:16"

★ NEW Gunsite Scout Rifle in .450 Bushmaster (Model 6837)

Gunsite Scout Rifle with Synthetic Stock (Model 6830*)

FEATURES

- The forward-mounted Picatinny rail allows for the mounting of modern optics, like an intermediate eye relief scope (not included), for "both eyes open" sighting and rapid target acquisition.
- Built-in, accurate sighting system with ghost ring adjustable rear aperture sight and a non-glare, protected blade front sight.
- Detachable box magazine with push-forward magazine release just forward of the trigger guard.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings eliminating a potential source of looseness and inaccuracy in the field.
- Soft-rubber buttpad with buttpad spacers allows the rifle to be properly sized for different shooters or varying levels of outerwear (three, 1/2" spacers included).
- Free-floating, cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Rugged and reliable with a glass-reinforced nylon trigger guard and magazine well.
- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Developed with Gunsite, this rifle is "Gunsite Approved" and features the Gunsite name rollmarked on the receiver and engraved on the grip cap of laminate stock models.
- Laminate stock models feature durable laminated wood that free floats the barrel and remains stable through weather and temperature extremes.
- Lightweight synthetic stock models feature a forward aluminum bedding block and rear aluminum pillar that positively locate the receiver.
- Model 6837 features an American walnut stock and a Ruger Precision Rifle® Hybrid Muzzle Brake to effectively reduce recoil while minimizing noise and blast to the sides of the shooter (thread protector included).
- Also features: rugged, one-piece, stainless steel bolt; three-position safety; sling swivel studs.



Glass-Reinforced Nylon Trigger Guard and Magazine Well



Adjustable Ghost Ring Rear Sight



Soft-Rubber Buttpad with Three, 1/2" Spacers



Forward-Mounted Picatinny Rail

LH: Left-Handed.
* Without magazine.



Guide Gun in .375 Ruger (Model 47125)


Rugged and hard-hitting, the compact and easy-to-carry **Ruger® Guide Gun** is ready for whatever conditions or game come your way.

GUIDE GUN

Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
47114	300 RCM	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	40.50"- 42"	8.1 lbs.	12.75"- 14.25"	1:10"
47115	338 RCM	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	40.50"- 42"	8 lbs.	12.75"- 14.25"	1:10"
47116	300 Win Mag	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	41"- 42.50"	8.1 lbs.	12.75"- 14.25"	1:10"
47117	338 Win Mag	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	41"- 42.50"	8 lbs.	12.75"- 14.25"	1:10"
47118	30-06 Sprg	4	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	41"- 42.50"	8.1 lbs.	12.75"- 14.25"	1:10"
47124 LH	375 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	41"- 42.50"	8.1 lbs.	12.75"- 14.25"	1:12"
47125	375 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	41"- 42.50"	8.1 lbs.	12.75"- 14.25"	1:12"
47130	416 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20"	41"- 42.50"	8.1 lbs.	12.75"- 14.25"	1:14"


FEATURES

- The LC6™ trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Shallow “express-style” windage-adjustable “V” notch rear sight and large white bead front sight for instant target acquisition.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Rugged, Green Mountain laminate stock is dimensionally stable through environmental extremes, features a soft rubber buttpad with buttpad spacers that allow the rifle to be properly sized for different shooters or varying levels of outerwear (three 1/2" spacers included) and wrap-around checkering that provides a sure grip in any weather.
- Also includes: rugged one-piece, stainless steel bolt; barrel band mounted swivel stud; optional forend swivel stud.



THE RUGER® MUZZLE BRAKE SYSTEM

Includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced by the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.



Ruger Logo Engraved Grip Cap

“Express-Style” Windage-Adjustable Rear Sight and Large White Bead Front Sight

Three-Position Safety

Buttpad Spacers Allow for Adjustable Length of Pull

Patented Integral Scope Mounts

LH: Left-Handed.

HAWKEYE® AFRICAN



Hawkeye® African in .300 Win. Mag.
(Model 47119)

The **Ruger® Hawkeye® African** with Muzzle Brake System delivers the same big game performance as previous African models, but now features a removable, radial-port muzzle brake that significantly reduces felt recoil.

HAWKEYE® AFRICAN

COMPARE										
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
47119	300 Win Mag	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23"	44.88"	8 lbs.	13.50"	1:10"
47120	338 Win Mag	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23"	44.88"	8 lbs.	13.50"	1:10"
37186	375 Ruger	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23"	44.88"	8 lbs.	13.50"	1:12"
47121 LH	375 Ruger	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23"	44.88"	8 lbs.	13.50"	1:12"
37185	416 Ruger	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23"	44.88"	7.8 lbs.	13.50"	1:14"
47152 LH - Special Order	416 Ruger	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23"	44.88"	7.8 lbs.	13.50"	1:14"

FEATURES

- The LC6™ trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Shallow “express-style” windage-adjustable “V” notch rear sight and large white bead front sight for instant target acquisition.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Ergonomically pleasing, American walnut stock has rounded contours along the barrel, on the bottom of the stock and on top of the pistol grip and wrap-around checkering on the grip and forend.
- Also includes: rugged one-piece, stainless steel bolt; barrel band mounted swivel stud; optional forend swivel stud.



THE RUGER® MUZZLE BRAKE SYSTEM

Includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced by the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.



American Walnut Stock with Ebony Forend Cap



Sling Swivel Studs with a Barrel Band Mounted Stud (Optional Forend Stud Also Supplied)



Hinged Solid-Steel Floorplate for Easy Unloading



Bead Front Sight and “Express-Style” Windage-Adjustable Rear Sight

LH: Left-Handed.
SPECIAL ORDER MODEL: See page 24 for details.



Hawkeye® Standard in .243 Win.
(Model 37119)



Hawkeye® Laminate Compact in .308 Win.
(Model 17110)

FEATURES

- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Ergonomically pleasing stock has rounded contours along the barrel, on the bottom of the stock and on top of the pistol grip and wrap-around checkering on the grip and forend.
- Also includes: rugged one-piece, stainless steel bolt; studs for mounting sling swivels.



The classic **Ruger® Hawkeye®** bolt-action rifles are built with versatility, style and performance in mind, meeting the challenges of hunters throughout the world.



Patented Integral Scope Mounts



Hinged Solid-Steel Floorplate



Non-Rotating, Mauser-Type
Controlled Round Feed Extractor



Three-Position Safety

HAWKEYE®

HAWKEYE® STANDARD



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
37116	204 Ruger	5	Alloy Steel/ Satin Blued	American Walnut	None	24"	44"	7.2 lbs.	13.50"	1:12"
37117	223 Rem	5	Alloy Steel/ Satin Blued	American Walnut	None	22"	42"	7.2 lbs.	13.50"	1:9"
37119	243 Win	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42"	7 lbs.	13.50"	1:9"
37121	270 Win	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.75"	8 lbs.	13.50"	1:10"
37122	7mm Rem Mag	3	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.75"	8.2 lbs.	13.50"	1:9.5"
37123	7mm-08 Rem	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42"	7 lbs.	13.50"	1:9.5"
37125	30-06 Sprg	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.75"	7.5 lbs.	13.50"	1:10"
37126	300 Win Mag	3	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.75"	8 lbs.	13.50"	1:10"
37124	308 Win	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42"	7 lbs.	13.50"	1:10"

HAWKEYE® COMPACT



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
37138 Special Order	243 Win	4	Alloy Steel/ Satin Blued	American Walnut	None	16.50"	35.50"	6 lbs.	12.50"	1:9"
37140 Special Order	7mm-08 Rem	4	Alloy Steel/ Satin Blued	American Walnut	None	16.50"	35.50"	6 lbs.	12.50"	1:9.5"
37139 Special Order	308 Win	4	Alloy Steel/ Satin Blued	American Walnut	None	16.50"	35.50"	5.7 lbs.	12.50"	1:10"

SPECIAL ORDER MODEL: See page 24 for details.

RUGER®

HAWKEYE® LAMINATE COMPACT



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
17108	243 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	16.50"	35.50"	6.2 lbs.	12.50"	1:9"
17111	7mm-08 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	16.50"	35.50"	6.2 lbs.	12.50"	1:9.5"
17110	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	16.50"	35.50"	6 lbs.	12.50"	1:10"

HAWKEYE® VARMINT TARGET



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
17974	204 Ruger	5	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	26"	46"	9.7 lbs.	13.50"	1:12"
17976	22-250 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	26"	46"	9.7 lbs.	13.50"	1:14"
17975	223 Rem	5	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	26"	46"	9.7 lbs.	13.50"	1:9"
17980	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	28"	48"	9.5 lbs.	13.50"	1:8"
17979	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black LAMINATE	None	26"	46"	9.2 lbs.	13.50"	1:10"


HAWKEYE®

HAWKEYE® PREDATOR



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
17123	204 Ruger	5	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24"	44"	8 lbs.	13.50"	1:12"
17121	22-250 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24"	44"	8 lbs.	13.50"	1:14"
17122	223 Rem	5	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	22"	42"	7.7 lbs.	13.50"	1:9"
47108	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24"	44"	8.1 lbs.	13.50"	1:8"
47123	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	22"	42"	8 lbs.	13.50"	1:10"

HAWKEYE® FTW PREDATOR



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist
	Caliber	Capacity								
47139	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24"	43.25"- 44.75"	8.1 lbs.	12.75"- 14.25"	1:8"
47140	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	22"	41.25"- 42.75"	8 lbs.	12.75"- 14.25"	1:10"

LH: Left-Handed.

RUGER®

HAWKEYE® FTW HUNTER



Model Number	COMPARE		Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Thread Pattern	Twist
	Caliber	Capacity									
NEW 47145	30-06 Sprg	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	24"	44" - 45.50"	8.2 lbs.	12.75"- 14.25"	1/2"-24	1:10"
NEW 47146	300 Win Mag	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	24"	43.25" - 44.75"	8.2 lbs.	12.75"- 14.25"	1/2"-24	1:10"
NEW 47166	375 Ruger	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	22"	41.25" - 42.75"	7.8 lbs.	12.75"- 14.25"	5/8"-18	1:12"
NEW 47168	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	22"	41.25" - 42.75"	7.6 lbs.	12.75"- 14.25"	1/2"-24	1:10"
NEW 47170	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	24"	43.25" - 44.75"	7.6 lbs.	12.75"- 14.25"	1/2"-24	1:8"
NEW 47171	7mm Rem Mag	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	24"	43.25" - 44.75"	8.2 lbs.	12.75"- 14.25"	1/2"-24	1:9.5"
NEW 47172	260 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	24"	43.25" - 44.75"	7.6 lbs.	12.75"- 14.25"	1/2"-24	1:8"
NEW LH 47173	375 Ruger	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	22"	41.25" - 42.75"	7.8 lbs.	12.75"- 14.25"	5/8"-18	1:12"
NEW LH 47174	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	24"	43.25" - 44.75"	7.6 lbs.	12.75"- 14.25"	1/2"-24	1:8"
NEW LH 47175	300 Win Mag	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Laminate	None	24"	43.25" - 44.75"	8.2 lbs.	12.75"- 14.25"	1/2"-24	1:10"

RUGER® MAGAZINES

RIFLE
MAGAZINES

	10/22, 10/22 TAKEDOWN, SR-22	AR-556	SR-556 TAKEDOWN	SR-762	MINI-14	MINI THIRTY	RUGER PRECISION RIFLE	RUGER AMERICAN RIFLE	RUGER AMERICAN RIFLE	RUGER AMERICAN RIFLE 22 LR	GUNSITE SCOUT RIFLE	Item No.
1-Round, 22 LR Magazine	•							•				90344
5-Round, 22 LR Magazine	•							•				90041
10-Round, 22 LR Magazine	•							•				90005
10-Round, 22 LR Magazine (3-Pack)	•							•				90451
10-Round, 22 LR Magazine (Clear)	•							•				90223
15-Round, 22 LR Magazine	•							•				90463
25-Round, 22 LR Magazine	•							•				90361
25-Round, 22 LR Magazine (2-Pack)	•							•				90548
25-Round, 22 LR Magazine (Clear-Sided)	•							•				90591
2x25-Round, 22 LR Magazine	•							•				90398
9-Round, 22 WMR/17 HMR Magazine									•			90076
4-Round, Short-Action Magazine (22-250 Rem)							•					90573
4-Round, Short-Action Magazine (243 Win/308 Win/7mm-08 Rem/6.5 Creedmoor)							•					90436
5-Round, Short-Action Magazine (223 Rem/5.56 NATO/204 Ruger/300 BLK)							•					90440
5-Round, 223 Rem Magazine					•							90009
10-Round, 223 Rem Magazine					•							90339
20-Round, 223 Rem Magazine					•							90010
30-Round, 223 Rem Magazine					•							90035
5-Round, 5.56 NATO/223 Rem Magazine		•	•									90428
10-Round, 5.56 NATO/223 Rem Magazine		•	•									90384
10-Round, 5.56 NATO/223 Rem Magazine										•		90458
30-Round, 5.56 NATO/223 Rem Magazine		•	•									90420
4-Round, Long-Action Magazine (270 Win/30-06 Sprg)							•					90435
3-Round, Magnum Magazine (7mm Rem Mag/300 Win Mag)							•					90549
5-Round, 300 BLK Magazine					•							90583
10-Round, 300 BLK Magazine					•							90584
20-Round, 300 BLK Magazine					•							90484
30-Round, 300 BLK Magazine			•									90526
5-Round, 7.62x39 Magazine						•						90012
10-Round, 7.62x39 Magazine						•						90485
20-Round, 7.62x39 Magazine						•						90338
5-Round, 308 Magazine							•			•		90352
10-Round, 308 Win Magazine							•			•		90353
20-Round, 308 Win/7.62 x 51/ 6.5 Creedmoor Magazine				•			•					90448
3-Round, AI-Style Magazine (308 Win/6.5 Creedmoor)										•		90560
5-Round, AI-Style Magazine (308 Win/6.5 Creedmoor/243 Win)							•			•		90561
10-Round, AI-Style Magazine (5.56 NATO)							•			•		90562
10-Round, AI-Style Magazine (308 Win/6.5 Creedmoor/243 Win)							•			•		90563
5-Round, 6.8mm Magazine					•							90332
5-Round, 6.8mm Magazine			•									90349
25-Round, 6.8mm Magazine			•									90348



PISTOL
MAGAZINES

	RUGER AMERICAN PISTOL DUTY	RUGER AMERICAN PISTOL COMPACT	SR1911	LC9s	LC380	LCP	LCP II	SR45	SR40	SR40c	SR9	SR9c	SR22	MARK IV	22 CHARGER	Item No.
1-Round, 22 LR Magazine															•	90344
5-Round, 22 LR Magazine															•	90041
10-Round, 22 LR Magazine															•	90005
10-Round, 22 LR Magazine (3-Pack)															•	90451
10-Round, 22 LR Magazine (Clear)															•	90223
10-Round, 22 LR Magazine														•		90231
10-Round, 22 LR Magazine with Extended Floorplate												•				90382
15-Round, 22 LR Magazine															•	90463
25-Round, 22 LR Magazine															•	90361
25-Round, 22 LR Magazine (2-Pack)															•	90548
25-Round, 22 LR Magazine (Clear-Sided)															•	90591
2x25-Round, 22 LR Magazine															•	90398
7-Round, 9mm Luger Magazine with Extended Floorplate				•												90363
9-Round, 9mm Luger Extended Magazine				•												90404
9-Round, 9mm Luger Magazine			•													90600
10-Round, 9mm Luger Magazine											•					90325
10-Round, 9mm Luger Magazine with Extended Floorplate												•				90369
10-Round, 9mm Luger Magazine with Extended Floorplate (Nickel-Teflon®)		•														90617
10-Round, 9mm Luger Magazine (Nickel-Teflon®)	•															90514
12-Round, 9mm Luger Magazine with Extended Floorplate (Nickel-Teflon®)		•														90618
17-Round, 9mm Luger Magazine											•	•				90326
17-Round, 9mm Luger Magazine (2-Pack)											•	•				90449
17-Round, 9mm Luger Magazine (Nickel-Teflon®)	•															90510
6-Round, 380 Auto Magazine with Extended Floorplate						•	•									90621
6-Round, 380 Auto Magazine with Extended Floorplate						•	•									90333
7-Round, 380 Auto Extended Magazine						•										90405
7-Round, 380 Auto Magazine with Extended Floorplate					•											90416
9-Round, 40 S&W Magazine with Extended Floorplate										•						90368
10-Round, 40 S&W Magazine									•							90351
15-Round, 40 S&W Magazine									•	•						90350
7-Round, 45 Auto Magazine			•													90366
8-Round, 45 Auto Magazine			•													90365
10-Round, 45 Auto Magazine											•					90412
10-Round, 45 Auto Magazine (Nickel-Teflon®)	•															90512



RUGER INTERNATIONAL CONTACT INFORMATION

Service inquires for all firearms, sportswear and accessories:
336-949-5200 or **Ruger.com/CustomerService**

BOWIE, S.R.L.
Parana 215
1017 Buenos Aires
ARGENTINA
Tel # 11-4384-6000
Fax # 11-4384-6400

NIOA
PO Box 191
Pinkenba QLD 4008
AUSTRALIA
Tel # 7-3621-9999
Fax # 7-3621-9998
E-mail: sales@nioa.net.au
Website: www.nioa.net.au

**ROHOF WAFFENHANDELS
GMBH. & CO.**
P. O. Box 21, Hermannsplatz 17
A-2560 Berndorf
AUSTRIA
Tel # 2-672-82571
Fax # 2-672-827673
Email:
gerhard.rohrbacher@rohofwaffen.at
Website: www.rohofwaffen.at

R.M. VINCK & CO.
Heilwijkweg 64
B-3690 Zutendaal
BELGIUM
Tel # 89-622-098
Fax # 89-622-103
Email: info@rmvinck.com
Website: www.rmvinck.com

**VICTOR L. BRYANT
& CO., LTD.**
P.O. Box 36
600 Philip Goldson Highway
Belize City
BELIZE
Tel # 22-45672 or 22-44407
Fax # 22-30025
Email: vlbryant@btl.net

BERETA TRADING, LTD
51, G.M. Dimitrov Blvd.
Sofia 1797
BULGARIA
Tel # 2-976-6020
Fax # 2-988-8101
Email: beretabg@beretaguns.com

**INLAND/PACIFIC
DISTRIBUTORS, LTD.
A DIVISION OF
BIG ROCK SPORTS**
CANADA
Tel # 1 800-666-7576
Email: custserv.help@bigrocksports.com

KORTH GROUP
64186 393 Loop East
Okotoks AB T1S 0L1
CANADA
Tel # 403-938-3255
Fax # 403-938-2722
Email: info@korthgroup.com
Website: www.korthgroup.com

**LOCATION
SNAP SHOTS, INC.**
CANADIAN REPAIR STATION
650 Rang Roy
Sainte Martine, Quebec J0S 1V0
CANADA
Email: snapshot@videotron.ca
Tel # 450-427-0052
Fax # 450-427-0498

EL HISPANO, S. A.
Apartado Postal 4143-1000
San Jose'
COSTA RICA
Tel # 2255-1974
Fax # 2257-6550
Email: hispano@racsa.co.cr

MPI CZ, LTD.
Pod Vinici 12
143 00 Prague 4
CZECH REPUBLIC
Tel # 225-273863
Fax # 225-273864
Email: info@mpicz.com
Website: www.mpicz.com

MERCIA OUTDOOR, APS
Nybrovej 129
DK-2800 Kgs. Lyngby
DENMARK
Tel # 3616 5018
Fax # 3616 5028
Email: merciaoutdoor@mail.tele.dk

OY K. HJORTH, AB
Kohmankaari 7
33310 Tampere
FINLAND
Tel # 3-234 4300
Fax # 3-234 4344
Email: contact through the web site
Website: www.hjorth.fi

HUMBERT CTTS, SA
45, Avenue Paccard
42340 Veauche
FRANCE
Tel # 477-527752
Fax # 477-527753
Email: info@humbert-ctts.fr
Website: www.humbert.com

**HEINZ HENKE
SHOOTING SUPPLIES**
Bahnhofstrasse 57
D-49757 Wertle
GERMANY
Tel # 5951-95990
Fax # 5951-959950
Email: info@henke-online.de
Website: www.henke-online.de

**ALBRECHT KIND
GMBH - AKAH**
Hermann-Kind-Strasse 18-20
51645 Gummersbach
GERMANY
Tel # 2261-705300
Fax # 2261-73540
Email: info@akah.de
Website: www.akah.de

**BIORESA/BIOSERUM
REPRESENTACIONES, S.A.**
9 Calle 3-63 Zona 2
El Zapote 01002
GUATEMALA
Tel # 2289-5173
Fax # 2289-5946
Email: aurioste@bioresa.com

GOWEN & BRADSHAW
Unit 10 Glenascaul Business Park
Oranmore, Galway
IRELAND
Tel # 91-483100
Fax # 91-787007
Email: sales@gowbrad.ie

L.H.B. LTD.
28 Menachem Begin Rd
Tel Aviv
ISRAEL
Tel # 972-3-6338431
Email: info@lhbltd.com
Website: www.lhbltd.com

BIGNAMI, SPA
Via Lahn 1
39040 Ora, Bolzano
ITALY
Tel # 0471-803000
Fax # 0471-810899
Website: www.bignami.it

DANKA IMPORT-EXPORT
548, St. Joseph High Road
St. Venera, SVR 1018
MALTA
Tel # 21-233-649
Fax # 21-447-346
Email: danka@maltanet.net

THE GUNSHOP
P.O. 11621
Windhoek
NAMIBIA
Tel # 61-227655
Fax # 61-234757
Email: gunshop@iway.na

**OMNIUM CALEDONIEN
IMPORTATION**
4, rue El Kantara
98800 Noumea
NEW CALEDONIA
Tel # 25-46-35
Fax # 25-42-04
Email:
weisbach@omnium-caledonien.nc

JACHTHUIS NOORDGOUWE
Brouwerijstraat 13
4317 AC, Noordgouwe
THE NETHERLANDS
Tel # 111-401-268
Fax # 111-401-902

**J.P.B. FURLEY
& CO., LTD**
52 Elizabeth Knox Place
Mt. Wellington, Auckland 1072
NEW ZEALAND
Tel # 9-574-6120
Fax # 9-574-6127
Email: info@jpbfurley.co.nz

VAPEN SOILEN, A. S.
Kanalveien 64
N-5068 Bergen
NORWAY
Tel # 5-5314936
Fax # 5-5323352
Email: firma@vapen-soilen.no
Website: www.vapen-soilen.no

**PARABELLUM SPORT
SYSTEMS, S.A.**
Calle 50 y 71
San Francisco
PANAMA
Tel # 507 226-4204
Fax # 507 270-0097
Email: parabellum@cwpanama.net

CAMPING 44, S.A.
Avenida Artigas 2061
Asuncion
PARAGUAY
Tel # 21-297240
Fax # 21-295664
Email: camping44@kemper.com.py

ARMAQ, SA
Av. Republica de Panama # 3552
San Isidro
Lima 27
PERU
Tel # 1-221-0279 or
1-221-7192
Fax # 1-440-3072
Email: lguerra@armasperu.com
Website: www.armasperu.com

PHU DIANA
ul. Przemyslowa 27a
33-100 Tarnow
POLAND
Tel/Fax # 14-630-0317

BW ARMS
Malleho 13
909 01 Skalica
SLOVAKIA
Tel # 034-664-41-92
Fax # 034-660-01-89
Email: bwarms@bwarms.sk
Website: www.bwarms.sk

GUNS & BOWS
PO Box 463
Sanlamhof 7532
SOUTH AFRICA
Tel # 21-949-2891
Fax # 21-949-0281
Email: mark@gunsbows.co.za
Website: www.gunsandbows.co.za

VLT ARMS
255 Anna Wilson Street
Kilner Park, Pretoria 0186
SOUTH AFRICA
Tel # 12-333-0170
Fax # 12-333-0198
Email: vltarms@telkomsa.net

SPORTEC, AB
Stationsvagen 2
SE - 232 02 Akarp
SWEDEN
Tel # 40-465050
Fax # 40-461858
Email: info@sportec.se
Website: www.sportec.se

**OUTDOOR
ENTERPRISE SA**
Via Pra Proed Nr. 2
CH-6534 San Vittore
SWITZERLAND
Tel # 91-791-2718
Fax # 91-791-8166
Email: info@outdoor-enterprise.ch

**THAI NATIONAL
TRADING, LTD.**
52 Charoen Krung Road
Bangkok 10200
THAILAND
Tel # 2-260-8740
Fax # 2-260-8734
Email: tntrading@csloxinfo.com

**LOUIS T. LEONOWENS
(THAILAND), LTD.**
177/1 BUI Building, 10th Floor
Surawongse Road
Bangrak, Bangkok 10500
THAILAND
Tel # 2-206-9505
Fax # 2-206-9599

FENIKS
2, Marshala Govorova Str.
65063 Odessa
UKRAINE
Tel # 482-341-957
Fax # 482-342-400
Email: office@feniks.ua
Website: www.feniks.ua

VIKING ARMS, LTD.
Summerbridge, Harrogate
North Yorkshire HG3 4BW
UNITED KINGDOM
Tel # 1423-780810
Fax # 1423-781500
Email: info@vikingarms.com
Website: www.vikingarms.com

SPORTING GUNS LTD
Shop No 3
Central Park
Cairo Road
Lusaka
ZAMBIA
Tel # +977897698
Email:
info@sportinggunszambia.com



RUGER® SCOPE RINGS



RUGER® SCOPE RINGS are available individually, allowing you to purchase only the ring needed, or mix and match, without the added expense of purchasing two rings at a time. Visit **Ruger.com/Accessories** to find the scope rings that are compatible with your Ruger® firearm.

LEARN MORE AT **RUGER.COM/ACCESSORIES**

© 2017 Sturm, Ruger & Co., Inc. 123016

Find Ruger:



RUGER.COM

RUGER LEGAL INFORMATION

LCP® RECALL NOTICE: In 2008, Ruger received a small number of reports from the field indicating that LCP® pistols could discharge when dropped onto a hard surface with a round in the chamber. We are firmly committed to safety and would like to retrofit all affected LCP® pistols. The retrofit involves installation of an upgraded hammer mechanism at no charge to the customer.

We want to remind gun users that, for maximum safety when carrying any pistol with a loaded magazine in place, the chamber should be empty, and the slide should be closed. Any gun may fire if dropped or struck.

How to determine if your pistol needs the retrofit: Any LCP® pistol bearing prefix “370” (that is, serial number 370-xxxxx) may be affected. Newer and retrofitted “370” prefix LCP® pistols with the new hammer mechanism installed have been marked with a diamond in the flat portion of the slot just behind and below the hammer, as shown to the right. If your pistol has the diamond, it does not need the retrofit. Any LCP® marked with the serial number prefix “371” (serial number 371-xxxxx) or higher is not affected. When we return your pistol, we also will send you a FREE magazine *with the new finger grip extension* as a “thank you” for your patience and cooperation*. Visit **RUGER.COM/LCPRECALL** for more information.

SR9® RECALL NOTICE: We have determined that some Ruger® SR9® pistols manufactured between October 2007 and April 2008 can, under certain conditions, fire if dropped with their manual safeties in the “off” or “fire” position. The pistols will not fire if the manual safety is in the “on” or “safe” position.

We designed a replacement trigger group which prevents firing when dropped and retrofits all affected Ruger® SR9® pistols at no charge. This retrofit only applies to SR9® pistols with serial number prefix “330” (330-xxxxx) and these new parts at NO CHARGE to our customers. When we return your pistol, we also will send you a FREE magazine as a “thank you” for your patience and cooperation*.

In order to ensure correct fitting, the new parts must be installed at our Ruger factory in Prescott, Arizona. We will remove the old parts and install the new trigger group promptly, at no charge, and will return the pistol to you. The old parts will not be returned. Visit **RUGER.COM/SR9RECALL** for more information.

For additional product, safety or service information, please visit **RUGER.COM**

AN IMPORTANT FREE SAFETY OFFER FROM RUGER:

Do you own an “old model” (pre-1973) Ruger® Single-Six®, Blackhawk®, Super Blackhawk® or Bearcat® single-action revolver like these?



Three frame screws identify the “old model” Single-Six®, Blackhawk®, and Super Blackhawk® made from 1953 to 1972.



Serial numbers below 93-00000 identify old Bearcat® and Super Bearcat® models made from 1958-1972.

Three frame screws identify the “old model” Single-Six®, Blackhawk® and Super Blackhawk® made from 1953 to 1972. Serial numbers below 93-00000 identify old Bearcat® and Super Bearcat® models made from 1958-1972.

The patented Ruger® Conversion Kit is an entirely new operating system for these revolvers. ***It can help prevent accidental discharges caused by a drop or blow to the hammer if the user has failed to take the basic safety precaution of keeping the hammer down on an empty chamber. That’s very important!***

This mechanism can be factory-installed in “old model” revolvers without any further alteration. The frame and other major parts will not be affected by this conversion. The value of the gun will not be impaired, and we will return your original parts for collector’s purposes.

To receive a free factory safety conversion, write to us at Sturm, Ruger and Company, Inc.; 411 Sunapee Street Newport, NH 03773 or call 336-949-5200. We will provide you with a shipping container and instructions. You only pay initial shipping to our factory. We will cover all other charges including return shipping costs. Please write to us without delay if you have one of these guns, and tell your friends about the availability of this kit. Remember that the safest way to carry any older single-action revolver, regardless of manufacturer, is with the hammer down on an *empty* chamber.

PLEASE WRITE TO US AT:

Ruger / Conversion Department / 411 Sunapee Street / Newport, NH 03773 or call 336-949-5200

For full details and a FREE shipping box. If your single-action revolver has the words “New Model,” “Bisley” or “Vaquero” on the frame, this offer is not applicable.

NOTICE: Weights of all Ruger® firearms, and rifles in particular, may vary from the published weight because of variations in wood density, bore size, barrel length and style. All weights specified in this reference guide are approximate. In some instances, length, width or height dimensions may have been rounded or truncated. All ammunition that appears in this reference guide is shown actual size only when noted. Sturm, Ruger & Co., Inc. does not manufacture scopes, optics or lasers. Scopes, optics and lasers are not included with any firearm purchase unless specifically noted.

All specifications and prices are subject to change without notice. Sturm, Ruger & Co., Inc. reserves the right to change the prices, specifications or availability of its products at any time without notice.

Typographic, photographic and/or descriptive errors are subject to correction. We apologize for any inconvenience.

The following are registered trademarks of Sturm, Ruger & Co., Inc.: 9E; 10/22; 10/22 Takedown; AC-556; All-Weather; AR-556; Arms Makers For Responsible Citizens; Bearcat; Blackhawk; BX-15; BX-25; Everything You Need and Nothing You Don’t; GP100; Hawkeye; It’s Mine and It’s American; It’s Mine. And It’s American.; LC380; LC9; LC9s; LCP; LCR; LCRx; M77; Mini-14; Mini Thirty; Old Army; Power Bedding; Redhawk; Ruger; Ruger 22/45 Lite; Ruger 77/17; Ruger 77/22; Ruger 77/44; Ruger American Pistol; Ruger American Rifle; Ruger American Rimfire; Ruger Hunting; Ruger Inside & Out; Ruger Precision Rifle; Ruger SP101; Ruger Vaquero; Rugged, Reliable Firearms; Security-Six; Service-Six; Silent-SR; Single-Nine; Single-Six; Single-Ten; Speed-Six; SR1911; SR9; SR9c; SR22; SR-22; SR40; SR40c; SR-556; SR-556E; Super Redhawk Alaskan.

The following are trademarks of Sturm, Ruger & Co., Inc.: 10/22-FS; 22 Charger; 22/45; 22/45 RP; 77/357; Bisley; BX-Trigger; Elite 452; Gold Label; I’m a Ruger American; LC380CA; LC6; LCR-357; Mark II; Mark III; Mark IV; Match Champion; Model 96; P345; P345D; P345PR; P85; P90; P91; P93; P94; P95; P97; Ruger 10/17; Ruger 77/50; Ruger Marksman Adjustable; Ruger Titanium; R.I.O.S. (Ruger Inertia Operating System); Single-Seven; SR45; SR-556c; SR-556VT; SR-762; This is Ruger. This is America.; Train. Compete. Defend.; Tri-Flex.

*** RECEIVE A FREE MAGAZINE WITH YOUR RECALL**

RUGER.COM

RUGER® KNIVES CRKT®

Manufactured by CRKT® under license from Sturm, Ruger & Co., Inc.



The exclusive Ruger® knife line includes designs for everyday carry, hunting, tactical uses and self-preparedness. Designed and built by CRKT®, an industry leader in knives and tools, this line of knives offers a variety of sizes and finishes, with an assortment of blade edges. Developed by six master knife-smiths who combined their knowledge of the art with aesthetic details from Ruger® firearms, the line is comprised of unique knives with the important features that every good knife should have. These knives are purpose built to be durable and highly functional in the environments where Ruger customers will expect them to perform.



CRACK-SHOT™ COMPACT



CORDITE™ COMPACT



POWDER-KEG™



FOLLOW-THROUGH™



FOLLOW-THROUGH™ COMPACT



GO-N-HEAVY™



GO-N-HEAVY™ COMPACT



ALL-CYLINDERS™



ALL-CYLINDERS™ +P



ACCURATE™



HOLLOW-POINT™



HOLLOW-POINT™ COMPACT



HOLLOW-POINT™ +P



MUZZLE-BRAKE™



2-STAGE™



2-STAGE™ COMPACT



BOLT-ACTION PEN



BOLT-ACTION PENCIL

LEARN MORE AT **RUGER.COM/CRKT**

© 2017 Sturm, Ruger & Co., Inc. 040417

Find Ruger:





2017 INTERNATIONAL REFERENCE GUIDE