

BORN IN BARCELONA, SPAIN 1955

2017 THE YEAR OF INNOVATION





INDEX

AIRGUNS

PISTOLS

PELLETS

SCOPES

BINOCULARS

COVERS





For over 60 years Gamo has been listening and has understood the things that matter most to our customers: Innovation, quality and superlative performance.

We are innovative, and this has led us to receive the highest recognition from our customers. It is our way of thinking that makes the difference, because we know that there is always room for improvement. We are close to our customers, we listen to them and we meet their needs as quickly as possible by offering the best products at an affordable price.

We are convinced that there is no better formula to promote our relationship with our customers than the confidence that they have in us, and this has brought us a very significant, worldwide growth, and a presence in 90 countries.







GAMO® DNA

BORN IN BARCELONA, SPAIN 1955

WWW.GAMO.COM



GAMO DNA: Perfection. It's in the genes.

DNA of the highest performing - best value air rifle on the market.



- Gamo rifles have been produced in Barcelona, Spain, for more than 60 years.
- Today Gamo rifles are sold in more than 90 countries, with offices in the USA, UK, Spain and Mexico.
- Fully Integrated Manufacturing We produce our own barrels + rifling, triggers, receiver tubes, welding, grinding, bluing, and assembly. We outsource our rubber (recoil pads) and glass filled nylon (stocks) from the suppliers who provide those materials to SEAT manufacturing a division of Audi and VW (Barcelona, Spain plant) Industry Best
- Industry Leaders Before launching any new air rifle into the market, Gamo tests them by dry firing each rifle 100,000 times (10 units are shot 10,000 times each). Once the product is launched and being manufactured, 2 out of every 1,000 rifles assembled are tested again with 10,000 dry fire shots. In addition to that, ALL of our manufactured air rifles are checked part by part and each airgun is shot and tested by a robot to assure power, grouping and velocity required by our exhaustive quality control standards Industry Best
- Exhaustive Quality Control procedures taken from the pharmaceutical industry Industry Best
- Own Research and Development department fully devoted to the development of new products and technologies.
- Automotive grade robotic welding, grinding operations and glass filled nylon stocks Industry Best
- Patented Polymer Jacketed Barrel 15% lighter on avg. than the competition Industry Best
- Patented Whisper Sound DampeningTechnology. Only Gamo can offer this co-molded process that allows us to integrate the noise dampening technology vs add on dampener. We have recently successfully enforced our patents against our competition for infringing on this technology -Industry Best
- Green Manufacturing Facility Gamo recycles and reclaims 96% of the water used in the plant for our bluing operation. We only loose what is evaporated from the operation. Gamo emits ZERO debris particles from our wood stock operation and we reclaim the sawdust and waste to press them in to wood pellets that fuel our heating system Industry Best
- Gamo is the most Progressive and Innovative air rifle manufacturer in the world.
 We are the leaders and we will continue to lead.

GAMO: The Best Selling Airgun Brand in the World (Gun Trade World Magazine)

 $\mathbf{8}$





REPLAY 10 MAXXIM



- NEW DESIGN "VARMINT TACTICAL"
- 2 SILENCING CHAMBERS TECHNOLOGIES
- MUZZLE BREAK DESIGN REDUCE THE RECOIL



- AUTOLOADER 10X TECHNOLOGY
- SHOOT 10 SHOTS AND NEVER TOUCH A PELLET
- THE ONLY BREAK BARREL RIFLE WITH MAGAZINE



- MORE PRECISION
- LESS VIBRATION
- AND TRUE KNOCK DOWN POWER



- 99,9 RECOIL COMPENSATION
- 100% CONSISTENCY OF SHOT ACCURACY
- DESIGNED FOR HIGH-POWER AIR RIFLES



- CRISP, CLEAN AND SMOOTH TRIGGER PULL IMPROVES ACCURACY
- FIRST AND SECOND STAGE INDEPENDENTLY ADJUSTABLE
- CHANGE THE WEIGHT OF ADJUSTING THE SECOND STAGE

GAMO OTHERS CALL IT FUTURE





ENJOY SHOOTING

WITH YOUR VIRTUAL AIRGUN RIFLE IN GYMO 2HOOLING GYMEN





You have 3 GAMO airgun rifles to reach the challenge



4 scenarios to overcome: ACCURACY, VELOCITY, PERFECTION and SHOOTING REFLEXES Two levels within each

scenario Play on your smartphone or your tablet. It is completely free, and no ads.

Enjoy playing! Good luck!











MULTISHOTTM. 10X Quick-Shot rapid reload technology



This brand new technology will revolutionize the way people shoot with break barrel air rifles. 10X Quick-Shot, the latest patent pending exclusive from Gamo, enables you to shoot up to 10 times without touching a pellet. This unique feature makes it perfect for time trial competitions as well as fast shooting fun since it is the quickest reloading system ever invented by Gamo. Simply break the barrel and pull the trigger, the shooter will enjoy lightning-quick follow-up shots. Forget about reloading, just cock the gun and focus only on the target. 10X Quick-Shot technology is available only in select Gamo air rifles.

WHISPER MAXXIMTM. Could anything be guieter than a Whisper?



The new Whisper Maxxim features two noise dampening chambers, providing quieter performance as well as a best in class muzzle break design. This latest patented sound suppressor by Gamo also helps to reduce recoil and is fully integrated over the rifled steel barrel resulting in a very light fluted polymer Bull Barrel. The Whisper Maxxim technology is

more compact than the original Whisper silencer, making it lighter, more balanced and most importantly - It's quieter!



IGT MACH 1TM. Maximum efficiency when shooting



This is the latest update to our propulsion system, allowing sportsmen to enjoy the benefits of a state of the art platform. Updating our IGT (Inert Gas Technology), this new system consists of a new 33 mm pneumatic cylinder which replaces the spring. This has been designed to provide the following benefits.

- More Precision: High Accuracy due to the IGT™ Mach 1 and the recoil pad with up to 74% recoil absorbing pressure
- · Steady and Consistent Power: The pneumatic cylinder is always propelling the same power to the pellet.
- Less Vibration: With the use of the pneumatic cylinder vibration is reduced in relation to the Spring technology.
- Constant and Smooth Cocking Effort: The cocking effort is more constant and smooth as there is no spring friction.
- More velocity And Terminal Penetration: Up to 1420 fps in .177 and PBA Platinum



Moving, paper and

plinking targets are

waiting for you...

With or without scope,

you choose!



IGTTM - INERT GAS TECHNOLOGY. Improve your knockdown power and accuracy!



This technology consists of a pneumatic cylinder that replaces the traditional main spring which increases velocity, reduces lock time, incurs less vibration, has a more consistent power level and requires less cocking effort than a traditional spring gun.

The IGT is one of the latest Gamo technologies that will increase your shooting performance!

WHISPERTM. Prevent noise expansion.



The Whisper™ technology from Gamo consists of a rifled steel barrel whith a fluted polymer jacket and integrated with a sound moderator in the muzzle. This sound moderator compresses noise and prevents sound expansion by up to 52% when compared to an ordinary muzzle report.

· Patent: PCT/ 07826926.3

The Whisper™ Technology is already recognized by shooters worldwide.

WHISPER FUSIONTM. The Quietest Quiet Gun.



The Whisper Fusion™ is the first GAMO air rifle with two integrated Whisper™ technologies. While the pellet passes through the end of the barrel, there is a first noise dampening technology using different air chambers and a second one that is reducing even more the noise using several baffles.

Developed by the creators of the internationally well-known Whisper™ and Bull Whisper™ technologies.

· Patent Pending

The Whisper Fusion is the ultimate noise and muzzle blast reduction technology designed for the most demanding noise reduction airgun shooters.

RRRTM - RECOIL REDUCING RAIL. New rail with damper system.

The new RRR (Recoil Reducing Rail) is a new technology developed by Gamo designed to reduce the impact that recoil wields from high powered rifles and airguns, protecting the scope from damaging. Some of the benefits includes:



- Almost 100% recoil compensation on the scope
- 100% repetitiveness accuracy.
- Specifically designed for high powered air rifles
- Engineered to support the strong recoil of the scope
- Increases the life span of your scope
- Integrated recoil stop block with two rubber shock absorbers for increased recoil absorption
- A stop pin in the stop block for additional sturdiness Maximize your scope lifespan



CATTM - CUSTOM ACTION TRIGGER. New independently adjustable 2 stage trigger.



The total travel length of the current standard trigger is always the same, when screwing/unscrewing the screw, the trigger moves making the first stage longer/shorter and the second shorter/longer.

The New CAT Technology allows the shooter to adjust the 1st and the 2nd stage of the trigger independently, modifying the total travel length of it.

· Patent Pending

A genuine 2 Stage Trigger

SATTM - SMOOTH ACTION TRIGGER. Clean & creep free smooth action trigger.



The new SAT™ is the new patent pending trigger developed by Gamo and incorporated in many Gamo air guns. The SAT™ is a custom made trigger designed for all disciplines of shooting and will allow you to shoot like a pro! It features a smooth trigger pull that increases the rate of accuracy and provides a responsive, clean, break when you need it most. The letters SAT™ are engraved on both sides of the trigger which has been developed in a stylish dark grey colour ensuring a state of the art appearance to your New Gamo airgun.

· Patent Pending

Control your shot like never before.

SWATM - THE SHOCK WAVE ABSORVER. Increases the recoil absorption after shooting.



The new recoil pad from GAMO has been developed to help you in your shooting experience!

The new recoil pad has been rigorously tested in the GAMO laboratories in order to improve the rate of absorption (kilograms) and the recoil distance (millimetres). The result has been that SWATM provides up to 74% more absorption than standard recoil pads. This is thanks to the new design and the 3 removable inserts that have been incorporated in the butt pad, now the shooter can adjust the recoil according to their own specific preference.

· Patent: PCT/ 09382165.0

Shoot comfortably.

ADJUSTABLE CHEEK PIECE. Fits all shooting positions.



Discover how easy and comfortable it is to hit your target when your air gun fits perfectly to you.

This adjustable Cheek Piece allows you to have your sight perfectly aligned with the target thus improving your accuracy when shooting. The air gun made to fit you.

















SCOPE RAIL

SCOPE

FRONT SIGHT

MACROMETRIC



Velocity tested with **Gamo PBA Platinum** pellets (lead free)







GAMO PRESHOT ID SYSTEM

THE RIGHT AIR GUN > THE RIGHT AMMO > THE PERFECT COMBINATION

At Gamo, we manufacture many different air guns to fit the needs of versatile shooters everywhere. With such variety of choices, we've created the GAMO PROSHOT ID SYSTEM to help you better align your shooting needs with the performance attributes of each model. From Plinking & Pest Control to Hunting to Target & Competition. All Gamo air gun are clearly labeled and color coordinated to designate their recommended primary usage, in this catalogue.

GAMO Air Rifle RECOMMENDED USAGE

> PLINKING & PEST CONTROL

Provides accuracy and high velocity ideal for recreational shooting and other eveyday uses like moving targets. Also perfect for nuisance animals such as mice, rats, birds and snakes.

E HUNTING

Delivers accuracy with higher energy downrange for ultimate impact and penetration – ideal for small game such as rabbits, squirrels, raccoons, and crows.

TARGET & COMPETITION

Offers the ultimate in accuracy and consistent performance-ideal for both training and competitive shooting over paper targets.



























III G-MAGNUM 1250

Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110061	4,5	470 m/s	36J	611006155	5,5	380 m/s	45)
PLINKI	NC.	HIINTING	TARGET	HUNTING		DIINVING	TARGET
FLINKI	Nu	HONTING	TANGET	HONTING		FLINKING	TARGET







GAMO POWER





★ 3-9x40WR 1 PM SCOPE INCLUDED























Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110087-BKIGT	4,5	420 m/s	29J	611008755-BKIGT	5,5	308 m/s	29J
6110087-BKIGTS	4,5	420 m/s	29J	611008755-BKIGTS	5,5	308 m/s	29J
PLINKING		HUNTING T	ARGET	HUNTING		PLINKING	TARGET



















III BLACK FUSION

Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110087-BF	4,5	420 m/s	29J	611008755-BF	5,5	308 m/s	591
PLINKING		HUNTING	TARGET	HUNTING		PLINKING T	ARGET

























Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110087-BK	4,5	420 m/s	29J	611008755-BK	5,5	308 m/s	591
PLINKING		HUNTING	TARGET	HUNTING		PLINKING	TARGET



















			Energy
5-M	5,5	308 m/s	291
HIINTING		DIINKING	TARGET
HUNTIN	G	G	G PLINKING

IGT







III SHADOW IGT














3 Kg ≪ 110≫ ♠♠ 등 ♠♣

	« ciii »	0 00 (1)	1)
Reference	Caliber	Velocity	Energy
6110029555-IGT	5,5	286 m/s	24J
the second second second second second second			

















III BLACK 1000 IGT

Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
61100297-IGT	4,5	386 m/s	24J	6110029755-IGT	5,5	286 m/s	24J
PLINKING		HUNTING	TARGET	HUNTING		PLINKING	TARGET



WHISPER MAXXIM IGT

IGT airgun



III WHISPER MAXXIM IGT	×
Reference	

Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
61100621-IGT	4,5	386 m/s	24J	6110062155-IGT	5,5	286 m/s	24J
PLINKING		HUNTING	TARGET	HUNTING		PLINKING TA	ARGET


















GT























Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110072-IGT	4,5	386 m/s	24J	611007255-IGT	5,5	286 m/s	24J
						The same of the sa	



III WHISPER IGT

CFR WHISPER IGTIGT airgun























III CFR WHISPER IGT

Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
61100073-IGT	4,5	345 m/s	501	610007355-IGT	5,5	254 m/s	501
TARGET		PLINKING	HUNTING	PLINKING	42000	HUNTING	TARGET

FIXED BARREL





CFXFIXED BARREL airgun







eference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110007	4,5	345 m/s	20J	61000755	5,5	254 m/s	50J











eference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110015	4,5	345 m/s	501	611001555	5,5	254 m/s	501
		7.75					4
TARGET		PLINKING	HUNTING	PLINKIN	G	HUNTING	TARGET

ADULT







BLACK 1000 MAXXIM

ADULT airgun





Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
61100297-M	4,5	386 m/s	24J	6110029755-M	5,5	286 m/s	24J
				- 18 H			
PLINKING		HUNTING	TARGET	HUNTING		PLINKING	TARGET











Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
61100295	4,5	386 m/s	24J	6110029555	5,5	286 m/s	24J
		Reference	Caliber	Velocity	Energy		
		61100295635	6,35	240 m/s	24J		
PLINKING	HUNTING	TARGET HUNTING		PLINKING TARGE	HUNTING	PLINKING	TARGET







Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110084-5	4,5	386 m/s	24J	611008455-5	5,5	286 m/s	24J
PLINKING		HUNTING T	TARGET	HUNTING		PLINKING T	ARGET

ADULT









III WHISPER X

Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110072	4,5	386 m/s	24J	611007255	5,5	286 m/s	24J
PLINKING	G	HUNTING 1	ARGET	HUNTING		PLINKING	TARGET







3-9X40LLWR SCOPE LASER AND LIGHT INCLUDED



TARGET

NG TARGET HUNTING





Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energ
61100962	4,5	386 m/s	24J	6110096255	5,5	286 m/s	24J
PLINKIN	G	HUNTING	TARGET	HUNTING		PLINKING T	ARGET









Do you have what it takes to be the best?



Air rifle Running DX







III RUNNING DX WHISF	PER		
Reference	Caliber	Velocity	Energy
61199679-GR	45	386 m/s	241





Pellet Trap 5 Circles



Medal Pellet

ADULT WEED





3 Kg ≪ 112 ≫ W & ≅ ♠ ♠ ♠

6110056	// [
0110030	4,5	386 m/s	24J	611005655	5,5	286 m/s	24J
		Reference	Caliber	Velocity	Energy		
		611005635	6,35	240 m/s	24J		





3.2 Kg ≪ 117 ≫ W &		3.2 Kg	≪ 117 ≫	W				(N)		····>
--------------------	--	--------	----------------	---	--	--	--	-----	--	-------

Reference	Caliber	Velocity	Energy	Refe	rence	Caliber	Velocity	Energy
6110010	4,5	386 m/s	24J	6116	001055	5,5	286 m/s	24J
		Reference	Caliber	Velo	city	Energy		
		6110010635	6,35	240 г	m/s	24J		
PLINKING	HUNTING	TARGET HUNT	ING	PLINKING	TARGET	HUNTING	PLINKING	TARGET

YOUTH WOOD







III JUNIOR DELTA				
Reference	Caliber	Velocity	Energy	
61100258-DT	4,5	170 m/s	5.5J	







Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
6110009-F0	4,5	275 m/s	14J	611000955-F0	5,5	212 m/s	14J

TARGET PLINKING HUNTING PLINKING HUNTING TARGET

YOUTH





III DELTA FOX GT

Reference	Caliber	Velocity	Energy	
61100260	4,5	210 m/s	7.5J	

TARGET PLINKING HU





2 Kg ≪101≫ 🗟 🐠 🏠 ↔

III DELTAMAX FORCE

Reference	Caliber	Velocity	Energy
61100192	4,5	210 m/s	7.5J
			The state of the state of
TARGET		PLINKING	HUNTING







61100161 4.5 210 m/s 7.5J








5)))**[**

Reference	Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy
5110013-BS	4,5	275 m/s	14J	611001355-BS	5,5	212 m/s	14J
							44
TARGET		PLINKING	HUNTING	PLINKING		HUNTING	TARGET


















COPE NOT INCLUDED				3,8 Kg ≪ 98 ≫ (\) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
84				U			
Caliber	Velocity	Energy	Reference	Caliber	Velocity	Energy	
4,5	410 m/s	27/40J	1465	5,5	360 m/s	27/40J	
4,5	410 m/s	27/40J	1465	5,5	360 m/s	27	
	Caliber	Caliber Velocity	Caliber Velocity Energy	$3,8~{ m Kg}~~iggreengtharpoons$ Caliber Velocity Energy Reference	$3,8~{ m Kg}~\ll {98 \over { m cm}}\gg 1$	$3,8~{ m Kg}~\ll {98 \over { m cm}} \gg 10$ W Caliber Velocity Energy Reference Caliber Velocity	



SCOPE NOT INCLUDED







SCOPE NOT INCLUDED







SCOPE NOT INCLUDED



						Velocity	Energy
1473	4,5	410 m/s	27/40J	1474	5,5	360 m/s	27/40J
							44
PLINKING		HUNTING	TARGET	HUNTING		PLINKING	TARGET

ACCESSURIES

BUUSTER PCP







PUMP HIGH PERFORMACE PCP GAME



SCUBA CHARGING KIT



6212551

PCP CHARGING KIT



FILL ADAPTADOR KIT



16-9820

GAMOS

10X QUICK-SHUT MAGAZINE



Reference	Caliber
6212585	4,5 mm (.177)
6212586	5,5 mm (.22)

RECOIL REDUCING RAIL RRR



6212217

DETACHABLE FRONT&REAR SIGHT SET FUR PICATINKY RAIL



GAMO PCP MAGAZINE



Reference	Caliber
SP16-9393	4,5 mm (.177)
SP16-9394	5,5 mm (.22)

WEAVER-PICATIKKY RAIL




Reference

BIPCD FOR BARREL



	DESCRIPTION	4.5	5.5	6.35	SCOPE
W	G MAGNUM 1250 IGT MACH1	470 m/s	360 m/s	CONTRACTOR	
EW	G MAGNUM 1250	470 m/s	360 m/s	ES DESTRUCTION	
3 - F W	BLACK FUSION IGT MACH 1	420 m/s	315m/s	Na La Caracteria	
-	BLACK BULL IGT MACH 1	420 m/s	315 m/s	4.5	4X32 WR
1 25	BLACK KNIGHT IGT MACH 1	420 m/s	315 m/s	NE KILLE	
Rinds.	BLACK FUSION	420 m/s	315 m/s	"lotteld to	Carlon da Tra
	BLACK BULL	420 m/s	315 m/s		4X32 WR
130	BLACK KNIGHT	420 m/s	315 m/s		
1000	HUNTER 1250	470 m/s	360 m/s		
NEW T	HUNTER EXTREME SE 1250	470 m/s	360 m/s	274 m/s	3-9X50IRWR
EW	SOCOM STORM IGT	386 m/s	286 m/s		
EW	BLACK 1000 AS IGT	386 m/s	286 m/s	Marine Marine	1987 AN - 18 16 H
EW	HUNTER 440 AS IGT	386 m/s	286 m/s		-
192	BLACK 1000 IGT	386 m/s	286 m/s		
1	BULL WHISPER IGT	386 m/s	286 m/s	. ~	4X32 WR
143	SHADOW IGT	386 m/s	286 m/s	240 m/s	
6 30	ELITE WHISPER IGT	386 m/s	286 m/s		
EW	ELITE PREMIUM	386 m/s	286 m/s	7	3-9X40 WR1PM
	WHISPER IGT	386 m/s	286m/s		· #
	CFR WHISPER IGT	345 m/s	254 m/s	Marie Tory	
1	CFX	345 m/s	254 m/s		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	CFR	345 m/s	254 m/s	- Maine Marie	
	CFX ROYAL	345 m/s	254 m/s		
EW	SOCOM STORM	386 m/s	286 m/s		
5	ZOMBIE AIRGUN	386 m/s	286 m/s	THE RES	4X32WR
EW	SOCOM BULL WHISPER	386 m/s	286 m/s	NO COUNTY OF	3-9X40 WR1PM
100	SHADOW DX	386 m/s	286 m/s	240 m/s	The Sales of the Sales
EW	BLACK 1000 WINTER	386 m/s	286 m/s		4
EW EVA/	BLACK 1000 AS	386 m/s	286 m/s	7	
EW	BLACK 1000 WHISPER	386 m/s 386 m/s	286 m/s 286 m/s	National Edition	
E\A/	BLACK 1000 HUNTER 440-AS	386 m/s	286 m/s	240 m/s	
EW	HUNTER 440	386m/s	286 m/s	240 m/s	
10.71	MAXIMA	386 m/s	286 m/s	240 m/s	
1	ELITE X	386 m/s	286 m/s	240 111/3	Herris D
	ELITE X COMBO	386 m/s	286 m/s		3-9X40WR1PM
	ELITE FUSION	386 m/s	286 m/s		-
	WHISPER FUSION	386 m/s	286 m/s		10 Tay 2 19 Car
dice 1	WHISPER X VAMPIR	386 m/s	286 m/s	V (1)	3-9X40LLWR
13 3	WHISPER X	386 m/s	286 m/s		
	BULL WHISPER	386 m/s	286 m/s	Nac Park	4X32WR
EW	DELTA FOX GT SPYDER	210 m/s		-	
185122	DELTA FOX GT	210 m/s			
	DELTA FOX GT WHISPER DELTAMAX FORCE	210 m/s 210 m/s	- W. C.		
No.	BLACK SHADOW	275 m/s	212 m/s		
	G FORCE TAC	210 m/s	- 1604		
EW	JUNIOR DELTA	179 m/s		Partie I Tark	SWING DOWN
	DELTA FOREST	210 m/s		-	Y WY
	FOREST	275 m/s	212 m/s		19-27
EW	CHACAL	386 m/s	286 m/s		The state of the s
	СОУОТЕ	410m/s	360 m/s	= 7/2 7/5	
IST IN	COYOTE BLACK	410m/s	360 m/s		
	COYOTE WHISPER	410m/s	360 m/s		











The GAMO P-27 Dual CO2 Air Pistol semiautomatic is equipped with a reversible magazine that holds and 8-shot clip on either side for a total of 16 rounds. Powered by CO2 and featuring a double/single action trigger, shoots BB's or pellets; you will enjoy the versatility of shooting two kinds of ammo. Polymer grip and frame with matte-black finish. A great choice for plinking.





Manual safety mechanism

CO2 Compartment

III P-27 DUAL

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111395	4,5	NO BLOWBACK	131 m/s	8x2	18 cm	690 g

blowback co2 air pistol dual fuel



GAMO's C-15 Blowback CO2 semi-automatic pistol is equipped with the innovative Blowback feature. This new technique provides a realistic action and an authentic feel when shooting. It's perfect for leisure plinking, target shooting... Is almost totally made of polymer plastics. Powered by a 12gr CO2 capsule. Dual fuel, pellets & BB's.





Magazine compartment

Blowback action

III C-15 BLOWBACK

III C-12 BLOMBACK						
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111390-P	4,5	BLOWBACK	125 m/s	8x2	18 cm	690 g



combat co2 air pistol steel bb's





GAMO's GP-20 Combat is a light and powerful CO2 BB's pistol recommended for shooting tin cans, paper targets and more. It's powered by a l2gr CO2 capsule which is housed within the grip. Ambidextrous and non-slip grip with textured rubberised finish.





Manual safety mechanism

Magazine compartment

III GP-28

III 6P-20						
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111397	4,5	NO BLOWBACK	122 m/s	20	8 cm	710 g



compact co2 air pistol pellet



The GAMO P-23 is a air pistol styled to resemble a real handgun. Will fire conventional pellets as single-shot or Steel BB's as a semi-automatic pistol. The trigger is double-action only, and it has a very light, even pull.

This pistol will give you many years of shooting pleasure.





Rotary magazine

Easy Handling air pistol

III P-23

III P-23						
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111340	4,5	NO BLOWBACK	120 m/s	8	19 cm	450 g



GAMOS PRECISION AIRCHES

blowback co2 air pistol pellet



The GAMO PT-85 Blowback CO2 has an authentic look. Is a semi-automatic pistol equipped with the Blowback feature. Blowback design moves slide backward when firing and uses only a small portion of air to move it.

The rifled steel barrel adds accuracy and the textured grip reduces slippage and shooting comfort. It shoots pellets. This CO2 powered air pistol is a Smart choice for ones who want a realistic action and feel when shooting.





Blowback

Manual safety mechanism

III PT-85 BLOWBACK

III F 1-03 BLUWBALK						
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111376	4,5	BLOWBACK	125 m/s	8x2	20 cm	860 g



PT-85 BLOWBACK TACTICAL

tactical co2 air pistol pellet



The extended barrel is NOT a silencer and does provide any noise reduction. The extended barrel is designed for for added velocity. Extended barrel must remain installed in order to shoot pistol. Loaded with accessories for a full day of tactical shooting. Quad accessory rail. Optics can be fixed with tactical mounting rails

(*) Included Red Dot + Flashlight + Laser + Tactical rail





Rail weaver mount

III PT-85 BLOWBACK TACTICAL

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111385	4,5	BLOWBACK	145 m/s	8x2	38 cm	1800 g



blowback co2 air pistol



The GAMO P-25 Blowback CO2 is semi-automatic pistol equipped with the Blowback feature. This new technique uses the tiny part of air to move the slide backward wheneer shooting. A rifled steel barrel and textured grip are also features of this air pistol. Powered by a 12gr CO2 capsule. Delivers lots of realistic handgun practice. Easy to shoot!





Blowback action


Stylized comfortable grip

III PT-25 BI OWBACK

III F 1-25 BLUWBALK						
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111378	4,5	BLOWBACK	125 m/s	8x2	20 cm	450 g



co2 air pistol



The PT-80 is one of the sharpest CO2 pistols that you have ever seen, it looks like a semiauto pistol. With this great looking pistol you can fire 8 pellets (not BB's) as fast as you can pull the trigger. The barrel breaks in the back to expose the cylinder. Fires in either the single or double action modes. PT-80 a fun gun for plinking!





Manual safety mechanism

8 Shots rotary magazine

III PT-80

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111350	4,5	NO BLOWBACK	120 m/s	8	18 cm	460 g
		CONTRACTOR OF THE SAME OF THE SAME OF				

PT-80 DESERT ATTACK

GAMO PRECISION AIRCUINS

special edition co2 air pistol



The new PT-80 Desert Attack is a restylling of the PT-80 and incorporates a tactical rail and a striking colour design. Is a semi-automatic CO2 pistol. Coming in at just under 550g with a rifled steel barrel that is Ilcm long, this pistol is capable of firing accurately and delivering a remarkable 8 shots under 1.5 seconds. Designed to fire as either a semi-automatic or single shot it remains a favourite of the enthusiasts and it's ideal for plinking.





Tactical rail

Magazine placement

III PT-80 DESERT ATTACK

III F 1-00 DESEKT ATT	ALK					
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111398	4,5	NO BLOWBACK	120 m/s	8	18 cm	460 g

co2 revolver



GAMO's PR-776 Revolver has a real revolver mechanism, single/double action. Powered by a CO2 cartridge, the PR-776 has a 6" rifled steel barrel. The molded stippled grip have finger grooves for added control. Comes with bottom ventilated shrouds. Extremely realistic. This is a great gun for shooting tin cans, plinking and hitting spinners.





8 Pellet rotary magazine

Stipped grip with finger grooves

III PR-776 REVOLVER

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111396	4,5	REVOLVER	110m/s	8	30 cm	1.021 g



GAMOS

co2 air revolver



The GAMO GR-Stricker revolver has a very modern-looking, mostly manufactured out of metal and high-impact polymers. Accurate and powerful, the GAMO GR-Stricker comes specified with Weaver rails, one located under the barrel and another right over it, for easy mounting of optical sights and tactical accessories. The GAMO GR-Stricker comes with a manual safety, in form of a push-pin button positioned in the frame, right under the rear sight. Has an ergonomically-shaped pistol grip. It's ideal for informal plinking, target practice at the range and more serious training.





8 Shots rotary magazine

III GR-STRICKER REVOLVER

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111300	4,5	REVOLVER	120m/s	8	23 cm	550 g



precompressed air pistol



The PR45 by Gamo is a model that offers you fun and precision. It has a 10 shot magazine (rounded shape ammunition or bb's) and single shot mode that admits ammunition of all shapes. The effortless cocking gives you the opportunity to fire thousands of shots without the need to buy anything but ammo. Absolutely vibration-free.





Pre-compresed System with valve

Manual safety mechanism

III AF-10

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111025	4,5	NO BLOWBACK	115 m/s	10	21 cm	550 g



precompressed air pistol





The PR-45 by Gamo is pre-compressed system with valve. Lends itself as an excellent target shooter and provides air gunners of all kinds with an accurate and reliable pistol. The single shot mechanism is almost completely recoilless and produces high amounts of muzzle energy to keep your pellet straight and on target. Vibration free. The rear sight is adjustable for both windage and elevation and allows for precise shot placement, whatever the conditions. The ergonomically shaped grips of the PR45 are made from a durable polymer and are guaranteed to last.





Pre-compresed System

Adjustable rear sight

III PR-4

בר-אח וו						
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111028	4,5	NO BLOWBACK	120 m/s	1	27 cm	800 g





Compact is Gamo's entry into the field of top-level match air pistols. It is ideal for ten-meter competition. Built with a competition grade rifled steel barrel, fully adjustable rear sight and finely adjustable match trigger. The light single stroke pneumatic power plant is vibration free enhancing this pistol's pinpoint precision even further. This is a very accurate air pistol for shooters who want the best for target shooting, it's a good one for learning how to shot a handgun.





Pre-compresed System

Adjustable grip

III COMPACT

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111027	4,5	SINGLE SHOT	120 m/s	1	31 cm	880 g

III COMPACT LEFT

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111027-1	4,5	SINGLE SHOT	120 m/s	1	31 cm	880 g



spring pistol



The GAMO P-900 is equipped with an ergonomic design that will allow you to have better precision when shooting and more equilibrium of it while handling. Being spring operated means the gun will last a very long time, before requiring re-springing. You don't need a CO2 capsule to load it, only you and a tin of pellets to get hours of fun. It's ideal for all intended and imaginable purposes, from simple outdoors plinking to target practice and official training.





Fixed Fiber Optic Front Sight

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111029	4,5	SINGLE SHOT	105 m/s	1	32 cm	700 g

III P-900 GUN SE I						
Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111042	4,5	SINGLE SHOT	105 m/s	1	32 cm	700 g



> P-900 IGT / P-900 IGT GURSET

IGT pistol



GAMO's P-900 IGT air pistol is mostly made our of metal, with a few ABS synthetic parts. Much likewith the original P-900, the new working system replaces the standard loading spring system. The IGT ensures performance improvements in terms of accuracy, range and terminal velocity as it's easier and lighter to load. Versatile airgun for indoors and outdoors practise to introduce younger generations of shooters.





Fixed Fiber Optic Front Sight

IGT

III P-900 IGT

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111029-IGT	4,5	SINGLE SHOT	105 m/s	1	32 cm	700 g

III P-900 IST SUN SET

Reference	Caliber	Action	Velocity	Magazine Cap.	Lenght	Weight
6111042-IGT	4,5	SINGLE SHOT	105 m/s	1	32 cm	700 g





REVOLVER PR-776 TWO PELLET MAGAZINE





6212547

PISTOL P-27 & PISTOL C-15 **CHE DUAL MAGAZINE**



TACTICAL RAIL P-25/P-85



Reference 62120US006SP-B

TACTICAL FLASH LIGHT (FOR WEAVER RAIL)



62120US002SP-B

PISTUL GP-20 **UKE STEEL BB'S MAGAZIKE**



PISTUL P-25 & PISTUL PT-85 **UKE PELLET MAGAZIKE**



PISTUL PT-80 & PISTUL PT-23 THREE PELLET MAGAZINE





Reference

RED DOT 30MM RGB (FOR WEAVER RAIL)



62120RGBLSSP-B











PELLETS



GAMO, THE WORLD PREMIER PELLET MANUFACTURER OFFERS YOU THE PERFECT PELLET FOR EVERY OCCASION.

YOU CHOOSE!



Quality and precision that guarantee optimum performance

Precision

PERFORMANCE





Reference	Caliber	Weight	Quantity	Recommended for
63226341-B	4,5 (.177)	0.44 g (6.79 gr)	125	4 商
63226351-B	5,5 (.22)	0.69 g (10.65 gr)	75	



PBA RAPTUR PERFORMANCE



Reference	Caliber	Weight	Quantity	Recommended for
6322644	4,5 (.177)	0,33 g	50	4 商
6322645	5,5 (.22)	0,63 g	25	1 5



PBA PLATIKUM PERFORMANCE





Reference	Caliber	Weight	Quantity	Recommended for
63226541-B	4,5 (.177)	0.33 g (5.09 gr)	125	4.4





RED FIRE PERFORMANCE







Reference	Caliber	Weight	Quantity	Recommended for
6322711-B	4,5 (.177)	0.49g (7.56 gr)	125	质量
6322704	5,5 (.22)	1 g (15,42 gr)	100	



PERFORMANCE

ROCKET PERFORMANCE



Reference	Caliber	Weight	Quantity	Recommended for
6321284	4,5 (.177)	0.62 g (9.56 gr)	150	4.3
6321285	5,5 (.22)	0,94 g (14,50 gr)	100	

COMPETITION

MEDAL COMPETITION







Reference	Caliber	Weight	Quantity	Recommended for
6320238	4,5 (.177)	0,53 g (8,17 gr)	450	a

COMPETITION



TS-10/TS-22 COMPETITION



GANO DE LA	WITH SCREN
LONG DISTANCE @ COMPETITION	
Name gamo.com Special	
The same same contracts of	

Reference	Caliber	Weight	Quantity	Recommended for
6321748	4,5 (.177)	0,68 g (10,49 gr)	200	@ *
6321768	5,5 (.22)	1,41 g (21,75 gr)	200	

PRC-MAGNUM COMPETITION





Recommended fo	Quantity	Weight	Caliber	Reference
	250	0,49 g (7,56 gr)	4,5 (.177)	6321724
@ A	500	0.49 g (7.56 gr)	4,5 (.177)	6321734
	250	1 g (15.42 gr)	5,5 (.22)	6321725
	175	1,41 g (21,75 gr)	6,35 (.25)	6321736

COMPETITION

PRE MATCH COMPETITION






Reference	Caliber	Weight	Quantity	Recommended for
6321824	4,5 (.177)	0,49 g (7,56 gr)	250	9
6321834	4,5 (.177)	0,49 g (7,56 gr)	500	(a) J
6321825	5,5 (.22)	1 g (15,42 gr)	250	97

PRO HURTER COMPETITION





Reference	Caliber	Weight	Quantity	Recommended for
6321924	4,5 (.177)	0,49 g (7,56 gr)	250	
6321934	4,5 (.177)	0,49 g (7,56 gr)	500	
6321925	5,5 (.22)	1 g (15.42 gr)	250	



COUNTRY





Reference	Caliber	Weight	Quantity
6322740-B	4,5 (.177)	0,36 g (5,55 gr)	100







HUNTER COUNTRY



Reference	Caliber	Weight	Quantity	Recommended for
6320824	4,5 (.177)	0,49 g (7,56 gr)	250	
6320834	4,5 (.177)	0,49 g (7,56 gr)	500	
6320825	5,5 (.22)	1 g (15,42 gr)	250	1
6320566	6,35 (.25)	1,41 g (21,75 gr)	200	





EXPANDER COUNTRY





Reference	Caliber	Weight	Quantity	Recommended for
6322524	4,5 (.177)	0,51 g (7,78 gr)	250	4
6322525	5,5 (.22)	1 g (15,42 gr)	250	



MAGKUM COUNTRY





Reference	Caliber	Weight	Quantity	Recommended for
6320224	4,5 (.177)	0,49 g (7,56 gr)	250	
6320225	5,5 (.22)	1 g (15,42 gr)	250	

COUNTRY

VIPER COUNTRY



Reference	Caliber	Weight	Quantity	Recommended for
6323000	5,5 (.22)	20 Balls	25	

TRAINING





Reference	Caliber	Weight	Quantity	Recommended for
6320634	4,5 (.177)	0.35 g (5.39 gr)	500	



MATCH TRAINING



Reference	Caliber	Weight	Quantity	Recommended for
6320024	4,5 (.177)	0,49 g (7,56 gr)	250	
6320034	4,5 (.177)	0,49 g (7,56 gr)	500	
6320025	5,5 (.22)	1 g (15,42 gr)	250	



ROUND TRAINING





Reference	Caliber	Weight	Quantity	Recommended for
6320324	4,5 (.177)	0,53 g (8,17 gr)	250	
6320334	4,5 (.177)	0,53 g (8,17 gr)	500	
6320325	5,5 (.22)	1 g (15,42 gr)	250	.

PISTOL

PISTOL PRO PISTOL



Reference	Caliber	Weight	Quantity	Recommended for
6321750	4,5 (.177)	0.45 g (6.49 gr)	250	

PISTOL CUP PISTOL





Reference	Caliber	Weight	Quantity	Recommended for
6321850	4,5 (.177)	0.45 g (6.49 gr)	250	@ F

HEAVY

GAMO PRECISION AIRGUNS

G-HAMMER HEAVY



				4
			AMMER A	G-H
Š.	了,亦	11	HEAVY	i
		L. France of	BAUNES - MILETE -	100

				_
				=
y			A	=
		$\boldsymbol{\sigma}$		=
		D -4		3/
13	11 -	A	V	YA
	4			2



G-BUFFALC HEAVY






Reference	Caliber	Weight	Quantity	Recommended for
6322824	4,5 (.177)	1 g (15,42 gr)	200	
6322825	5,5 (.22)	1.8 g (27,76 gr)	200	



81

COMBO

PERFORMANCE PELLET COMBO





Reference	Name	Caliber	Weight	Quantity
6320928	ARMOR PBA	4,5 (.177)	0,44 g (6,79 gr)	80
	RAPTOR PBA	4,5 (.177)	0,33 g (5,09 gr)	100
	ROCKET	4,5 (.177)	0.62 g (9.56 gr)	150
	RED FIRE	4,5 (.177)	0.49 g (7.56 gr)	150

PRECISION PELLET COMBO





Reference	Name	Caliber	Weight	Quantity
6320926	MATCH	4,5 (.177)	0,49 g (7,56 gr)	250
	MAGNUM	4,5 (.177)	0,49 g (7,56 gr)	250
	ROUND	4,5 (.177)	0.53 g (8.18 gr)	250
	HUNTER	4,5 (.177)	0,49 g (7,65 gr)	250





SCOPES 3/4"



III 4X20 TVWA-N

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE4X20TVWA-N	140 g	276 mm	4x	20 mm	10,5"	3/4"	1/4"

4X28 TU



III 4X28 TV

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE4X28TV	165 g	270 mm	4x	28 mm	10"	3/4"	1/4"

3-7X28 TV



III 3-7X28TX

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE3-7X28TV	220 g	290 mm	3-7x	28 mm	15"-6,5"	3/4"	1/4"

SCOPES 1"







III 4X32 WR

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE4X32WR	365 g	295 mm	4x	32 mm	6,9"	1" (25mm)	1/4"

3-9X32 WR



WITH RINGS

III 3-9X32 WR

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE39X32WR	400 g	303mm	3-9x	32 mm	9″	1" (25mm)	1/4"

6X40 WR



III 6X40 WR							
Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE6X4ØWR	400 g	312 mm	6x	40 mm	5,6"	1" (25mm)	1/4"

SCOPES 1"

4X32A0





III 4X32A0

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE4X32AOWR	365 g	295 mm	4x	32 mm	6,9"	1" (25mm)	1/4"

3-9X40 WR





III 3-9X40 WR

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE39X4ØWR	465 g	314 mm	3-9x	40 mm	6"	1" (25mm)	1/4"

3-9X50 WR





WITH RINGS

III 3-9X50 WR

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE39X50WR30	580 g	330 mm	3-9x	50 mm	7,50"	30 mm	1/2"

SCOPES COMPACT SERIES



2,5X20 WRC







WITH RINGS

III 2,5X40 WRC

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE25X20WRC	295 g	185 mm	2,5x	20 mm	10"	1" (25mm)	1/4"

4X32 AC WRC







WITH RINGS

III 4X32 AO WRC

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE4X32A0WRC	370 g	290 mm	4x	32 mm	6,9"	1" (25mm)	1/4"

3-9X40 WRC







WITH RINGS

II 3-9X40 WRC

III 3 3X 10 WILL							
Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE39X4ØWRC	400 g	295 mm	3-9x	40 mm	6,9"	1" (25mm)	1/4"

SCOPES 1" WITH ILLUMINATED RETICLE

3-9X40 IRWR /3-9X50 IRWR



WITH RINGS

WITH RINGS

III 3-9X40IRWR/3-9X50IRWR


Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE39X4ØIRWR	500 g	314 mm	3-9x	40 mm	6″	1" (25mm)	1/4"
VE39X50IRWR	550 g	320 mm	3-9x	50 mm	8″	1" (25mm)	1/4"

4X32 IRWR





Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE4X32IRWR	350 g	300 mm	4x	32 mm	6,9"	1" (25mm)	1/4"



SCOPES 1" WITH ADJUSTABLE OBJECTIVE AND MIL-DOT





4-12x

VEMD412X44A0

MD 4-16X50 AO







50 mm

400 mm

92 93

VEMD624X50A0

1" (25mm)

SCOPES 1" WITH LASER AND FLASHLIGHT

3-9X40 VAMPIR WR



WITH RINGS

III 3-9X40 VAMPIR WR

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE39X4ØWRV	400 g	303 mm	3-9x	40 mm	6,9"	1" (25mm)	1/4"

4X32 VAMPIR WR



III 4X32 VAMPIR WR

Reference	Weight	Length	Magnification	Lens Objective	Resolution	ø Tube	Click Value
VE4X32WRV	400 g	303 mm	4x	32 mm	6,9"	I" (25mm)	1/4"

SIGHTS




DICPTER





Reference 6231347

RED DUT AD30






WITH RINGS

VERDAD30

Reference

QUICK SHOT BZ





Reference	
6212035	



MOURTS



97

TS-250 1" LOW







TS-250 1" MEDIUM







TS-250 1" HIGH







TS-300 30 MM MEDIUM



6213182





Reference 6213185

TS-300 30 MM HIGH







Reference 6213189

TS-250 1" MEDIUM RAIL





Reference 6213184

TS-250 1" HIGH RAIL





Reference 6213188

TS-300 30 MM MEDIUM RAIL





Reference 6213186









The GAMO 10x42 binocular captures the main details with their 10x magnification. Ideal for observing over long distances. High definition binoculars combine size, weight and high optical performance to provide the perfect product. This binocular is robust and suitable for all weather conditions.

Reference BEIØX42DCF 10X32 DCF



DCF
DIAMETER OBJETIVE: 32 MM
ZOOM: 10X
LENS: COATED
PRISM: K9
WEIGHT: 2406



The light weight design makes the 10X32DCF GAMO binocular the ideal choice for those who don't want to carry extra weight during outdoor activities. Made of sturdy construction and totally waterproof providing problem free observation.

Reference BEIØX32DCF

BINGCULARS



8X25 DCF

waterproof





DIAMETER OBJETIVE: 25 MM
WATERPROOF
ZOOM: 8X
LENS: FULLY-COATED
PRISM: ROOF
WEIGHT: 2806

Reference BE8X25DCF The GAMO 8x25 binoculars, offers optimum viewing comfort, even during long periods of observation and are easy to use. Made from lightweight materials that make it ideal for stalking game. Pocket sized design but does not detract from high performance over long distance.

8X21 DCF

dcf compact



BE8X2IDCF-N



COMPACT
DIAMETER OBJETIVE: 21 MM
ZOOM: 8X
LENS: COATED
PRISM: K9
WEIGHT: 1456

The Compact GAMO 8x2IDCF binocular, fits perfectly in your hand and is the ideal choice when size and weight are most important factors. Choosing a 8X magnification allows you to adjust perfectly to your own requirements while hunting. Finish is glossy black.

SPOTTING SCOPE

compact





Reference SPSI545X60 This ergonomic short bodied spotting scope and tripod is extremely portable and supplied with a lightweight carry bag ensuring comfortable carrying. Provides incredible resolution and guarantees máximum clarity even at distance. Ideal for bird watching, enjoying wildlife or hunting.

LASER RANGEFINDER

1000m





WEIGHT: 1906
TELESCOPE MULTIPLE: 8X
OBJECTIVE LENS APERTURE: 25MM
MINIMUM RANGING DISTANCE: 5M
BATTERY: CR2

A Laser Rangefinder utilizes laser technology to measure the distance between its objective lens and its's target. The distance is displayed inside the lens Display. The GAMO laser rangefinder LRF1000M, combines simplicity and light weight funcionality to provide accurate distance readings out to 1.000 meters. This compact unit is ergonomically designed to fit in your hand comfortably and is extremely easy to use.

Reference I REIDADM

AUTOFOCUS

10X25 AF

autofocus



香物生

DIAMETER OBJETIVE: 25 MM
AUTOFOCUS
ZOOM: 10X
PRISM: ROOF
WEIGHT: 2906

DIAMETER OBJETIVE: 40 MM

AUTOFOCUS

PRISM: PORRO

WEIGHT: 700G

Z00M: 8X

Reference BEIØX25AF

8X40 AF



Reference BE8X40AF Zeem



7-21X40 ZCCM

zoom



DIAMETER OBJETIVE: 40 MM ZOOM ZOOM: 7X-21X PRISM: PORRO WEIGHT: 6506

Reference BE721X40

8-24X50 ZCCM

zoom



DIAMETER OBJETIVE: 25 MM ZOOM ZOOM: 8X-24X PRISM: PORRO WEIGHT: 8006

Reference BE824X50

COMPACT DCF RUBBER



16X32 DCF

dcf



第二卷一

DIAMETER OBJETIVE: 32 MM

ZOOM: 16X PRISM: ROOF

WEIGHT: 388G

BE16X32DCF

10X25 DCF CAMU

dcf



DCF DIAMETER OBJETIVE: 25 MM Z00M: 10X PRISM: ROOF WEIGHT: 258G



DIAMETER OBJETIVE: 40 MM Z00M: 8X

> PRISM: PORRO WEIGHT: 750G

8X40

dcf

10X25 DCF

dcf



DCF **DIAMETER OBJETIVE: 25 MM** Z00M: 12X PRISM: ROOF **WEIGHT: 3906**

BEIØX25DCFN

BEIØX25DCF



GUN COVERS

PISTOL COVER 26 CM



Reference 6212361

GUN SOCK LARGE FOR RIFLE SCOPE



Reference 6212120

GUN COVER RED COLOR 120 CM



Reference 6212367

KNITTED COVER



GUN COVER BLACK LINING KNITTING 130 CM



Reference 6213142

GUN COVER BLACK LINING KNITTING 120 CM



Reference 6212375

GUR COVER BLACK LIKING KRITTING 112 CM



Reference 6212358

HARD COVERS

GUR COVER 125 CM HARD



Reference 6212359

GUN COVER CO2 EXTREME 120 CM



Reference 6212376

LUXE COVERS

GUN COVER LUXE 125 CM CAMO



Reference 6212373D



113

GUN COVER LUXE 125 CM BLACK



Reference 6212374

SEMI HARD COVERS

GUN COVER 125 CM SEMIHARD



Reference 6212378

GUN COVER 117 CM SEMIHARD



Reference 6212357

PROTECTION

BASIC EAR MUFF-23 DB







ELECTRONIC ORANGE EAR MUFF-27 DB



Reference 6212463



ELECTRONIC DUAL EAR MUFF-26 DB



Reference 6212464



GAMOS PRECISION AIRGUNS

115

PROTECTIVE GLASSES



Reference

PROTECTIVE GLASSES (INTERCHANGEABLE)



SLINGS

SLING REOPREKE



Reference 4560005 59U-95U-34U Neoprene sling with steel swivel and shoulder anti sleep texture to help the sling in place.

TARGETS



3 CIRCLE PLINKING TARGET

DIAMOND PLINKING TARGET





Reference 621122118 Reference 621122119

PELLETS TRAP 5 CIRCLES



Reference 621122121

PAPER TARGETS

PACKET 100 FIELD TARGETS



Reference 6212111

PACKET 100 DIAMOND TARGETS



Reference 6212110

PACKET 100 F-CLASS TARGETS



Reference 6212109



PACKET 100 ASSURTED TARGETS



Reference 6212112

150 STICKERS TARGETS



Reference 6212113


PACKET 100 TARGETS



Reference 6212106


MOBILE TARGETS

PLIKKING TARGET




Reference 621122109 Targets mobile with 4 rotating elements.

SPIRMER TARGET DELUXE



Reference Targets mobile with 8 rotating elements + targets.

SPIKKER TARGET



Reference 621122106 Targets mobile with 6 rotating elements.

ZOMBIE SPIKKER TARGET DELUXE



6211221113



RAT TARGET



Reference 6212209 Rat shaped steel drop target

SQUIRREL TARGET TRAP



Reference 62122081 Squirrel shaped steel drop target with bullseye rings.

WILD BOAR FIELD TARGET TRAP



Reference 62122082 Interchangeable field target system

MOBILE TARGETS

CATCHPELLET



Reference 6212204

FLAT CATCHPELLET



Reference 6212238

BULLET TRAP "RUCKER"



CO2 ACCESSORIES



GO2 GYLIKDRES 12G



Reference	Units
6212470	5
6212475	500

GO2 EXTREME ADAPTER



Reference 6212469

Piece 12g (Cylinder not included)

122

SHOOTING ACCESSORIES

SHOOTING BAG I




SHOOTING BAG II




Reference 4560002

SHOOTING STICK MOROPOD



SHOOTING STICK TRIPOD



CARE & MAINTENANCE ACCESSURIES



RIFLE REST



Reference 6212505


MAINTENANCE KIT



Reference 6212413

CARE & MAINTENANCE ACCESSURIES

CLEANING ROD CLAMPACK



Reference 6212409CP

GUR CIL



Reference 6212410

GUR OIL SPRAY 220 CC



Reference 6212460



CLEAKING KIT



Reference 6212460CP

CLEAKING ROD



Reference 6212409

CLEANING COTTON PELLETS 5,5 MM (.22)



Removes debris, dirt &lead buildup. Caliber 5,5 mm. 100 Pellets

caliber 5,5 mm. lo	OT CIICUS	
Reference	Cal.	Units
6212416	5,5	100

CLEANING COTTON PELLETS 4,5 MM (.177)



Removes debris, dirt &lead buildup. Caliber 4,5 mm. 100 Pellets

u		
Reference	Cal.	Units
6212412	4,5	100





THE BEST-SELLING AIRGUN BRAND*

THANKS TO EVERYONE FOR MAKING IT POSSIBLE!

* Gun Trade World Magazine, March 2013 & March 2014

GAMO OUTDOOR S.L.U.

Ctra. Santa Creu de Calafell n.43 08830 Sant Boi de Llobregat, Barcelona, España Tel. +34 93 640 72 48 export@gamo.com www.gamo.com

